

Phone: +64 4 381 5900 Fax: +64 4 381 0700

https://www.wellingtonscl.co.nz

This list is not exhaustive. If a test is not listed here then it is <u>UNFUNDED</u>. All unfunded tests will be patient paid or charged back to the referrer/clinical service. Most unfunded tests will incur additional shipping costs. Refer to Wellington SCL's Pathology Test Guide for further information. List current as at 1 March 2020.

TEST NAME	ALTERNATIVE TEST NAME	FUNDED/UNFUNDED	Guideline	Comment	SHIPPING COSTS	MIDWIVES CAN REQUEST
1080 Sodium fluoroacetate		UNFUNDED			YES	NO
11 Deoxycortisol		FUNDED	Tier 2		NO	NO
125OH Vitamin D		FUNDED	Tier 2	Referred or pre-authorised by: Paediatrition, Neurologist, Bariatric Surgeon, Gastroenterologist OR prior approval of a chemical pathologist.	NO	NO
14-3-3 CSF Protein test		FUNDED	Tier 2		NO	NO
16Sr RNA		FUNDED	Tier 2		NO	NO
17-OH Progesterone		FUNDED	Tier 2		NO	NO
18S rRNA (fungal identification)		UNFUNDED	Tier 2		YES	NO
245T, 2,4,5-Trichlorophenoxyacetic acid	Agent Orange	UNFUNDED			YES	NO
24D 2,4-Dichlorophenoxyacetic acid		UNFUNDED			YES	NO
3-Methoxytyramine (3-MT)		UNFUNDED			YES	NO
5HIAA		FUNDED	Tier 2	Referred or pre-authorised by: Endocrinologist, Oncologist, General surgeon, Gl surgeon, OR prior approval of a chemical pathologist.	NO	NO
6 TGN (6 Thioguanine nucleotides)		FUNDED	Tier 1		NO	NO
7 Dehydrocholesterol		UNFUNDED	Tier 2		YES	NO
7-Dehydrocholesterol and cholesterol,		LINEUNDED	Tion 3		YES	NO
plasma		UNFUNDED	Tier 2		YES	NO
ABO	ABO/Rh GROUP GROUP Rh GROUP RHESUS GROUP	FUNDED	Tier 1		NO	YES
ABO subtypes	ABO/Rh GROUP GROUP Rh GROUP RHESUS GROUP	FUNDED	Tier 1		NO	NO
Acanthoamoeba PCR		FUNDED	Tier 2		NO	NO
Acetone (Refer to Urine Ketones)	ACETOACETATE	FUNDED	Tier 1	SEE SOLVENTS	NO	NO
	ACETONE ACH (ACETYLCHOLINE) RECEPTOR					
Acetylcholine rec Abs (nAchR)	ANTIBODIES ACRA ANTI AChR	FUNDED	Tier 2		NO	NO
Adrenocorticotrophic hormone	ACTH	FUNDED	Tier 1		NO	NO
Active B12	Holo TC Holotranscobalamin Transcobalamin	FUNDED	Tier 2		NO	NO
Acute leukaemia PCR panel	See FISH; PML-RARA, NPM1, BCR-ABL, CEBPA and FLT3 mutation	FUNDED	Tier 2		NO	NO
Acyl Carnitine profile	Bloodspot ACYL	FUNDED	Tier 2		NO	NO
ADA deaminase		FUNDED			NO	NO
ADAMTS - 13		UNFUNDED	Tier 2		YES	NO
Adenovirus group PCR	ADENOVIRUS CULTURE	FUNDED	Tier 2		NO	NO
Adrenal Antibody		FUNDED	Tier 2		NO	NO
Alpha-Glucosidase	POMPE DISEASE	UNFUNDED	Tier 2		YES	NO
Albumin - CSF		FUNDED	Tier 2		NO	NO
Albumin - fluid		FUNDED	Tier 1		NO	NO
Albumin - serum		FUNDED	Tier 1		NO	YES
Albumin creatinine ratio	See Microalbumin	FUNDED	Tier 1		NO	YES
Alcohol	Ethanol	FUNDED	Tier 1		NO	NO
Aldolase		FUNDED	Tier 2		NO	NO
Aldosterone, serum		FUNDED	Tier 1		NO	NO
ALK Immunohistochemistry	ALK rearrangement	FUNDED	Tier 2	Flexifunded. Referred Oncology, Pharmac funding of Alectinib for the treatment of patients with locally advanced or metastatic non-small cell lung cancer whose cancers have evidence of an ALK rearrangement.	NO	NO
Alkaline phosphatase - serum		FUNDED	Tier 1		NO	YES
Alkaline phosphatase-bone	Ostase	FUNDED	Tier 2		NO	NO
Alkaline phosphatase-isoenzyme		FUNDED	Tier 2		NO	NO
	AAT	FUNDED	Tier 1		NO	NO
Alpha 1 antitrypsin genotype			Tier 1		NO	NO
7, 9 7,	Faecal AAT	FUNDED	LICI I			
Alpha 1 antitrypsin genotype Alpha 1 antitrypsin, faecal Alpha 1 antitrypsin, serum	Faecal AAT	FUNDED FUNDED				
Alpha 1 antitrypsin, faecal Alpha 1 antitrypsin, serum	Faecal AAT	FUNDED	Tier 1		NO	NO
Alpha 1 antitrypsin, faecal	Faecal AAT		Tier 1			



Phone: +64 4 381 5900 Fax: +64 4 381 07

https://www.wellingtonscl.co.nz

This list is not exhaustive. If a test is not listed here then it is <u>UNFUNDED</u>. All unfunded tests will be patient paid or charged back to the referrer/clinical service. Most unfunded tests will incur additional shipping costs. Refer to Wellington SCL's Pathology Test Guide for further information. List current as at 1 March 2020.

TEST NAME	ALTERNATIVE TEST NAME	FUNDED/UNFUNDED	Guideline	Comment	SHIPPING COSTS	MIDWIVES CAN REQUEST
Alpha, beta thalassaemia gene sequencing		UNFUNDED	Tier 2		YES	NO
Alpha-galactosidase	See Fabry disease	UNFUNDED	Tier 2		YES	NO
Alpha-subunit (gonadotrophin) total	,	FUNDED	Tier 2		NO	NO
Alpha aminoadipic semiadehyde	Piperadine-6-carboxylate	UNFUNDED	Tier 2		YES	NO
ALT	,	FUNDED	Tier 1		NO	YES
Aluminium - plasma		FUNDED	Tier 1		NO	NO
Aluminium - urine		FUNDED	Tier 1		NO	NO
Amikacin		FUNDED	Tier 1		NO	NO
Amino acids - plasma		FUNDED	Tier 1		NO	NO
Amino acids - urine	CYSTEINE (Random urine) CYSTINE (random urine) GLUTAMINE (urine) GLYCINE (urine) HOMOCYSTEINE (urine) PHENYLALANINE (urine) PHOSPHOETHANOLAMINE S-SLI PHOCYSTEINE	FUNDED	Tier 1		NO	NO
Aminolevulinic acid, urine		UNFUNDED	Tier 2		YES	NO
Amiodarone		FUNDED	Tier 1		NO	NO
Amitriptyline		FUNDED	Tier 1		NO	NO
Ammonia		FUNDED	Tier 2		NO	NO
Amoebic meningoencephalitis multiplex PCR		UNFUNDED	Tier 2		YES	NO
AMPA1 & AMPA2 Receptor Antibodies	See Neuronal Antibodies	FUNDED	Tier 2			
Amphetamine, urine		FUNDED	Tier 1		NO	NO
Amylase - fluid		FUNDED	Tier 1		NO	NO
Amylase - serum, pancreatic		FUNDED	Tier 1		NO	NO
Amylase - urine		FUNDED	Tier 1		NO	NO
Amylobarbitone, plasma/serum	Amobarbital	UNFUNDED	Tier 1		YES	NO
Amyloid A		UNFUNDED	Tier 2		YES	NO
ANA	See ANF	FUNDED	Tier 1		NO	NO
ANA Titre		FUNDED	Tier 1		NO	NO
ANCA		FUNDED	Tier 1		NO	NO
Androgen profile		FUNDED			NO	NO
Androstendione		FUNDED	Tier 2	Referred or pre-authorised by: Endocrinologist, Oncologist, General surgeon, Gl surgeon, OR prior approval of a chemical pathologist.	NO	NO
ANF (Anti Nuclear Factor)	See ANA	FUNDED	Tier 1		NO	NO
Angiotensin converting enzyme		FUNDED	Tier 2		NO	NO
Angiotensin II		FUNDED	Tier 2		NO	NO
Anion gap		FUNDED	Tier 1		NO	NO
Antenatal - antibodies		FUNDED	Tier 1		NO	YES
Antenatal - FIRST		FUNDED	Tier 1		NO	YES
Antenatal - Subsequent		FUNDED	Tier 1		NO	YES
Anti DPPX (Neuronal antibody - reflex)		UNFUNDED	Tier 2		YES	NO
Anti Factor 10A	See Heparin Assay and Anti Xa levels. Fondaparinux	FUNDED	Tier 2		NO	NO
Anti GAD		FUNDED	Tier 2		NO	NO
Anti Human Globulin		FUNDED	Tier 1		NO	NO
Anti Ku	See ENA	FUNDED				
Anti MAG antibodies	anti-myelin associated glycoprotein	FUNDED	Tier 2		NO	NO
Anti MOG antibodies	anti-myelin oligodendrocyte glycoprotein	UNFUNDED			YES	NO
Anti Microsomal Antibodies	See Thyroid Antibodies	FUNDED	Tier 1		NO	NO
Anti Mitochondrial Antibodies (AMA)		FUNDED	Tier 1		NO	NO
Anti Mullerian Hormone	АМН	Charge applies unless approved by a Specialist.	Tier 1	A patient charge will apply unless requested by a hospital specialist or specific instructions ask for fertility associates to be billed. Able to be ordered as part of a fertility clinic protocol prior to seeing a specialist.	NO	NO
Anti MuSK antibodies	anti-muscle specific kinase	FUNDED	Tier 2		NO	NO
Anti myeloperoxidase antibodies	See ANCA	FUNDED	Tier 1		NO	NO
Anti Neuronal antibodies	Hu (ANNA-1) IgG; Ri (ANNA-2) IgG; Yo (PCA-1) IgG; Ma2/Ta IgG; CV2/CRMP5 IgG; Amphiphysin IgG; DNER/Tr IgG; GAD65 IgG; NMDAR IgG; GABA (B) IgG; LGI 1 IgG; CASPR 2 IgG; AMPA 1 IgG; AMPA 2 IgG	FUNDED	Tier 2		NO	NO
Anti NMO antibodies (AQP4)	Aquaporin-4 IgG	FUNDED	Tier 2		NO	NO
Anti Parietal Cell Antibodies		FUNDED	Tier 1		NO	NO

Page 2 of 28 Version : March 2020



Phone: +64 4 381 5900 Fax: +64 4 381 07

https://www.wellingtonscl.co.nz

This list is not exhaustive. If a test is not listed here then it is <u>UNFUNDED</u>. All unfunded tests will be patient paid or charged back to the referrer/clinical service. Most unfunded tests will incur additional shipping costs. Refer to Wellington SCL's Pathology Test Guide for further information. List current as at 1 March 2020.

TEST NAME	ALTERNATIVE TEST NAME	FUNDED/UNFUNDED	Guideline	Comment	SHIPPING COSTS	MIDWIVES CAN REQUEST
Anti Ro / La antibodies		FUNDED	Tier 1		NO	NO
Anti Smooth Muscle Antibody (SMA)		FUNDED	Tier 1		NO	NO
Anti thrombin III		FUNDED	Tier 2		NO	NO
Anti Thyroglobulin (Anti TG)	See Thyroglobulin Antibodies	FUNDED	Tier 1		NO	NO
Anti X _a levels	See Heparin Assay, Anti Factor 10A	FUNDED	Tier 2		NO	NO
Antibody screen	See Antibody titre, Antibody screen / titre, Red cell antibodies, Rhesus Antibody See Antibody Street Antibody Titre, Red cell	FUNDED	Tier 1		NO	YES
Antibody screen / titre	See Antibody screen, Antibody Titre, Red cell antibodies, Rhesus Antibody See Antibody screen, Antibody Screen / Titre,	FUNDED	Tier 1		NO	YES
Antibody titre	Red cell antibodies, Rhesus Antibody	FUNDED	Tier 1		NO	YES
Anticardiolipin abs IgG & IgM		FUNDED	Tier 1		NO	NO
Anti-CCP/CCP2		FUNDED	Tier 1		NO	NO
Anti chymotrypsin		UNFUNDED			YES	NO
Antidiuretic hormone (AVP)	Arginine vasopressin	FUNDED	Tier 2		NO	NO
Anti-GQ1B		UNFUNDED			YES	NO
Antimony, urine	C ACOT Characterists Als Characterists D	UNFUNDED			YES	NO
Anti-streptolysin-O titre	See ASOT, Streptococcal Ab, Streptonase B, DNAse B	FUNDED	Tier 1		NO	NO
Anti-thyroid antibodies (TPO)	5.0.60	FUNDED	Tier 1		NO	NO
APC resistance	Activated protein C	FUNDED	Tier 1/2	Activated Protein C Resistance is no longer performed as part of a thrombophilia screen. Medical practitioners working in general practice may order a thrombophilia screen. If there is an index case in the family, individual genetic tests (e.g. Antithrombin, or Protein C) are restricted to a haematologist or clinical geneticist as counselling may be required prior to testing other family members.	NO	NO
APO-A1 (Apoliprotein A1)		FUNDED	Tier 1	·	NO	NO
APO-B (Apoliprotein B)		FUNDED	Tier 1		NO	NO
Apolipoprotein E, genotyping		UNFUNDED			YES	NO
APTT		FUNDED	Tier 1		NO	NO
Arachidonic Acid	See Essential Fatty Acids (serum) GCMS: Linoleic acid, oleic acid, stearic acid, omega 6, omega 3, omega 9, mead acid, fatty acids, docosapentaemoic acid, docosahexaenoic acid, eicopentaemoic acid, lindenic acid,and arachidonic acid.	FUNDED	Tier 2	Referred or pre-authorised by: Specialist metabolic paediatrician, Paediatric gastroenterologist OR prior approval of a chemical pathologist.	NO	NO
Arbovirus Group	See Dengue fever, Ross River, Chikungunya, Barmah Forrest, West Nile	FUNDED	Tier 2	Notifiable. Consult the local microbiologist to discuss appropriate testing and interpretation of results. The Communicable Disease Control Manual (2012) states closely related arboviruses can be clinically indistinguishable and exhibit serologic cross-reactivity. Therefore, positive results of serologic tests should be investigated further by cross-neutralisation methods using a battery of viruses relevant to the region where the case was exposed.	NO	NO
Arsenic, blood		UNFUNDED			YES	NO
Arsenic, urine		FUNDED	Tier 2		NO	NO
Ascorbate, plasma ASOT	See Anti-streptolysin-O titre, Streptococcal	UNFUNDED FUNDED	Tier 1		YES	NO NO
Aspergillus ab precipitins	Ab, Streptonase B, DNAse B	FUNDED	Tier 2		NO	NO
Aspergillus culture	Fungi culture	FUNDED	Tier 1		NO	NO
Aspirate/fluid c/s		FUNDED	Tier 1		NO	YES
AST		FUNDED	Tier 1		NO	YES
Astrovirus PCR	Enteric Virus Panel	UNFUNDED			YES	NO
Atrial natriuretic peptide		UNFUNDED			YES	NO
Atypical Haemolytic Uraemic Syndrome (aHUS)		UNFUNDED			YES	NO
Atypical Pneumonia PCR	See Mycoplasma pneumoniae DNA, Respiratory Multiplex PCR	FUNDED	Tier 1		NO	NO
Atypical pneumonia serology (Mycoplasma pneumoniae)		FUNDED	Tier 1		NO	NO
Autoantibodies, other		FUNDED	Tier 1		NO	NO

Page 3 of 28 Version : March 2020



Phone: +64 4 381 5900 Fax: +64 4 381 07

https://www.wellingtonscl.co.nz

This list is not exhaustive. If a test is not listed here then it is <u>UNFUNDED</u>. All unfunded tests will be patient paid or charged back to the referrer/clinical service. Most unfunded tests will incur additional shipping costs. Refer to Wellington SCL's Pathology Test Guide for further information. List current as at 1 March 2020.

TEST NAME	ALTERNATIVE TEST NAME	FUNDED/UNFUNDED	Guideline	Comment	SHIPPING COSTS	MIDWIVES CAN REQUEST
Autoclave controls		FUNDED			NO	NO
Avian autoantibody	Avian IgG precipitins	FUNDED	Tier 2		NO	NO
,	O P - P - P			Leptospira- A four-fold or greater		
Bacterial Antigen-leg/lepto	See Legionella antigen (urine), Leptospira	FUNDED	Tier 2	rise in titre between acute and convalescent specimens is Notifiable.	NO	NO
Bacterial typing		FUNDED	Tier 2		NO	NO
Barbiturate - urine		FUNDED	Tier 1		NO	NO
Barmah Forest Ab	See Arbovirus	FUNDED	Tier 2	Notifiable. Consult the local microbiologist to discuss appropriate testing and interpretation of results.	NO	NO
Bartonella henselae IgG IgM (Cat Scratch Fever)	Cat Scratch IgG	FUNDED	Tier 2		NO	NO
Bartonella PCR (Cat Scratch Fever)		FUNDED	Tier 2		NO	NO
BCR/ ABL QRT PCR		FUNDED	Tier 2		NO	NO
BCR/ABL P190		FUNDED	Tier 2		NO	NO
BCR/ABL TK		FUNDED	Tier 2		NO	NO
Bence Jones protein		FUNDED	Tier 1		NO	NO
Benzodiazepine (Plasma)	Diazepam, Valium	UNFUNDED	1101 1		YES	NO
Benzodiazepine, urine	• •	FUNDED	Tier 1		NO	NO
Beta Blocker Screen	Diazepam, Valium Sent to ESR Toxicology	UNFUNDED	iici 1		YES	NO
Beta 2 Glycoprotein 1	B2 Glycoprotein 1	FUNDED	Tier 2		NO	NO
, ,	52 Glycoprotein I	FUNDED	Tier 2		NO	NO
Beta 2 Microglobulin	Con Tour Tournessonia					
Beta 2 Transferrin	See Tau Transferrin Beta-globin gene sequence, beta-thalassemia	FUNDED	Tier 2	Discussion with a Haematologist is	NO	NO
Beta globulin mutation analysis	gene mutation	FUNDED	Tier 2	recommended.	NO	NO
Beta HCG (serum)	gene matation	FUNDED	Tier 1	recommended.	NO	YES
Beta HCG - tumour marker		FUNDED	Tier 1		NO	NO
Beta HCG - urine / fluid		FUNDED	Tier 1		NO	NO
Beta hydroxybutyrate, plasma		FUNDED	Tier 2		NO	NO
Bicarbonate		FUNDED	Tier 1		NO	NO
Bile salts, serum		FUNDED	Tier 2		NO	YES
Bilharzia - Blood	See Schistosomes	FUNDED	Tier 1		NO	NO
	See Schistosomes - urine/faeces	FUNDED	Tier 1		NO	NO
Bilharzia - Urine / Faeces Bilirubin - urine	See Schistosomes - unine/raeces	FUNDED	Tier 1		NO	NO
						YES
Bilirubin conjugated (Direct and Total)		FUNDED FUNDED	Tier 1		NO NO	YES
Bilirubin total		FUNDED	Tier 1			YES
Bilirubin, neonatal			Tier 1		NO YES	NO NO
Bismuth, blood	DNA tumor viruses, Jamestown canyon,	UNFUNDED				
BK DNA copies	Polyomavirus	FUNDED			NO	NO
Blood culture		FUNDED	Tier 1		NO	YES
Blood culture - paediatric		FUNDED	Tier 1		NO	NO
Blood gases		FUNDED	Tier 1		NO	NO
Blood gases ISTAT		FUNDED	Tier 1		NO	NO
Blood group		FUNDED	Tier 1		NO	NO
BNP serum/fluid		FUNDED	Tier 1		NO	NO
Bone marrow aspirate		FUNDED	Tier 2		NO	NO
Bordetella pertussis IgA & IgG		FUNDED	Tier 1		NO	NO
Bordetella pertussis PCR		FUNDED	Tier 1		NO	YES
Boron, urine		UNFUNDED			YES	NO
BRAF gene mutations	See B-RAF receptor PCR	FUNDED	Tier 2		NO	NO
B-RAF receptor PCR	See BRAF gene mutation	FUNDED	Tier 2		NO	NO
BRCA1, BRCA2 Sequencing	<u>U </u>	FUNDED 3DHB Patients only	Tier 2	All requests should be from a Clinical Geneticist or a Genetic Associate. Testing provided by Wellington Regional Genetics Laboratory and is FUNDED for 3DHB patients.	NO	NO
Bromide (Methyl) plasma/serum		UNFUNDED			YES	NO
Bromide, plasma/serum		UNFUNDED			YES	NO
Bronchial washings		FUNDED	Tier 2		NO	NO
Brucella abs		FUNDED	Tier 2	A four-fold or greater rise in titre between acute and convalescent specimens is Notifiable.	NO	NO
Bulsulphan		UNFUNDED	Tier 2		YES	NO
Burkholderia culture (Melioidosis)		FUNDED	Tier 1		NO	NO
Burkholderia multiformans susceptibility	Soo Burkholdoria sultura					
testing	See Burkholderia culture	FUNDED				
Butyrylcholinesterase gene analysis	Cholinesterase phenotype, Cholinesterase	UNFUNDED	Tier 2		YES	NO
	genotype.					
Benzylpiperazine (BZP)		FUNDED	Tier 1		NO	NO

Page 4 of 28 Version : March 2020



Phone: +64 4 381 5900 Fax: +64 4 381 0700

https://www.wellingtonscl.co.nz

This list is not exhaustive. If a test is not listed here then it is <u>UNFUNDED</u>. All unfunded tests will be patient paid or charged back to the referrer/clinical service. Most unfunded tests will incur additional shipping costs. Refer to Wellington SCL's Pathology Test Guide for further information. List current as at 1 March 2020.

Camera C	TEST NAME	ALTERNATIVE TEST NAME	FUNDED/UNFUNDED	Guideline	Comment	SHIPPING COSTS	MIDWIVES CAN REQUEST
Capplide, planna	C diptheriae culture		FUNDED	Tier 1		NO	
Chalenyida trachomatis Ag (PCR)	C peptide, plasma		FUNDED	Tier 1/2	Referred or pre-authorised by: Endocrinologist, Paediatrition, Bariatric Sugeon, Specialist lipid, metabolic or cardiovascular disease clinic, OR prior approval of a chemical pathologist. Post Bariatric Surgery- able to be ordered by other medical practitioners if this	NO	NO
Careatinobilitor	C telopeptide		FUNDED	Tier 1		NO	NO
C10 Binding Assay See Circular Immune Complex FUNDED Tier 2 NO NO C2	Chlamydia trachomatis Ag (PCR)		FUNDED	Tier 1		NO	NO
CAS See Circular Immune Complex FUNDED Tier 2 NO NO NO Cas rephritic factor UNFUNDED Tier 1 NO NO NO Cas rephritic factor UNFUNDED Tier 1 NO NO NO Cas test Time	C1 esterase inhibitor		FUNDED	Tier 2		NO	NO
C2 Camplification	C1q antibodies		UNFUNDED			YES	NO
C2 Camphrific factor		See Circular Immune Complex		Tier 2		NO	NO
Camplement (2 and C4) Sec Complement lovels							
Camplement (C3 and C4) Sec Complement levels							
Ca153 (Breast)		See Complement levels		Tier 1			
Ca19-9 (Gastrointestinal)							
Cat PUNDED Tier 1	· · · · · · · · · · · · · · · · · · ·						
Cadmium - Blood							
Cardinary - urine							
Caffeine, plasma/serum							
Calcium - Inside		Cd		Tier 1			
Calcium -ionised FUNDED Tier 1 NO NO Calcium -serum FUNDED Tier 1 NO NO Calcium -urine / fluid FUNDED Tier 1 NO NO NO Calcium -urine / fluid FUNDED Tier 1 NO NO NO Calcium -urine / fluid FUNDED Tier 1 NO NO NO Calcium -urine / fluid FUNDED Tier 1 NO NO NO Calcium -urine / fluid FUNDED Tier 1 NO NO NO Calcium -urine / fluid FUNDED Tier 1 NO NO NO Calcium -urine / fluid FUNDED Tier 1 NO NO NO Calcium -urine / fluid Funded Funde	Caffeine, plasma/serum		UNFUNDED			YES	
Calcium - serum FUNDED Tier 1 NO NO NO Calcium - urine / fluid FUNDED Tier 1 NO NO NO Calcium - urine / fluid FUNDED Tier 1 NO NO NO Calcium / Creatinine ratio FUNDED Tier 1 NO NO NO Calcium / Creatinine ratio FUNDED Tier 1 NO NO NO Calcium / Creatinine ratio FUNDED Tier 1 NO NO NO Calcium / Creatinine ratio FUNDED Tier 1 NO NO NO Calcium / Creatinine ratio FUNDED Tier 1 NO NO NO CALCIUM KIDNEY STONES FUNDED Tier 1 NO NO NO CALCIUM KIDNEY STONES FUNDED Tier 1 NO NO NO CALCIUM KIDNEY STONES FUNDED Tier 2 NO NO NO CALCIUM THE CREATINE RATIO CANNABIS FUNDED TIER 1 NO NO NO CARDANABIS FUNDED TIER 2 NO NO NO MO CARDANABIS FUNDED TIER 2 NO NO NO NO CARDANABIS FUNDED TIER 2 NO NO NO NO NO CARDANABIS FUNDED TIER 2 FUNDED TIER 2 CINICIA MICROBIS SEPPR	Calcitonin		FUNDED	Tier 2		NO	NO
Calcium/Creatinine ratio Calcium/Creatinine	Calcium - ionised		FUNDED	Tier 1		NO	NO
Calcium/Creatinine ratio Calculi (Xray diffraction) Carbohydrate Deficient (Xransferrin See CDT, Transferrin Isoforms Carbohydrate deficient (Xransferrin See CDT, Tr	Calcium - serum		FUNDED	Tier 1		NO	NO
Calculi (Xray diffraction) KIDNEY STONES FUNDED Tier 1 NO NO NO RENAL STONE Calprotectin (Faecal) FUNDED Tier 1 NO NO NO CALR mutation (Calreticulin (Calreticu	Calcium - urine / fluid		FUNDED	Tier 1		NO	NO
Calculi (Xray diffraction) KIDNY STONES RENAL STONE RE	Calcium/Creatinine ratio		FUNDED	Tier 1		NO	NO
Calprotectin (Faecal) CALR mutation (Calreticulin Mutation Analysis) CANNABANOID/CREATININE RATIO CARDANABANOID/CREATININE FUNDED Tier 1 NO NO NO CARDANABANOID/CREATININE FUNDED Tier 2 NO NO NO CARDANABANOID/CREATININE FUNDED TIER 1 NO NO NO CARDANABANOID/CREATININE FUNDED TIER 2 CINICAL MICROBIOLOGIST approval only. NO NO CARDANABANOID/CREATININE FUNDED TIER 2 CINICAL MICROBIOLOGIST approval only. NO NO NO CARDANABANOID/CREATININE FUNDED TIER 2 CINICAL MICROBIOLOGIST approval only. NO NO NO CARDANABANOID/CREATININE FUNDED TIER 2 CINICAL MICROBIOLOGIST approval only. NO NO NO CARDANABANOID/CREATININE CARDANABANOID/CREATININE FUNDED TIER 1 NO NO NO CARDANABANOID/CREATININE CARDANABANOID/CREAT		KIDNEY STONES	FUNDED	Tier 1		NO	NO
CALR MUTATION (Calreticulin Mutation Analysis) CANNABANOID/CREATININE RATIO CANNABIS THE CANNABANOID/CREATININE RATIO CANNABIS THE TEGRICU TEGRICU TEGRICU CANNABOR THEORY TEGRICU CANDADE TEGRICU TEGRICU TEGRICU TEGRICU TEGRICU TEGRICU CARDOHYdrate DEF, inborn error metabolism Carbohydrate DEF, inborn error See CDT, Transferrin Isoforms FUNDED Tier 2 NO NO NO CARDOHYdrate DEF, inborn error Metabolism Carbohydrate DEF, inborn error Metabolism Carbohydrate DEF, inborn error Metabolism Carbohydrate DEF, inborn error Metabolism See CDT, Transferrin Isoforms FUNDED Tier 2 NO NO NO CARDOHYdrate deficient transferrin See CDT, Transferrin Isoforms FUNDED Tier 2 NO NO NO CARDOHYdrate deficient transferrin See CDT, Transferrin Isoforms FUNDED Tier 1 NO NO NO CARDOHYDRATE FUNDED Tier 1 NO NO NO CARDOHYDRATE CARDOH MUNCLE ANTIBOOIES FUNDED Tier 2 NO NO NO CARDIAL ARMITINE FUNDED Tier 2 NO NO NO CARDANINE HAMA HOMO VANILLIC ACID HVA (24hr Urine) DOPAMINE HIMMA HOMO VANILLIC ACID HVA (24hr Urine) PHAEOCHROMOCYTOMA SCREEN PRESSOR AMINIES VANILLY/MANDELIC ACID METAMERHINES (Urine) PHAEOCHROMOCYTOMA SCREEN PRESSOR AMINIES VANILLY/MANDELIC ACID METAMERHINES (Urine) PHAEOCHROMOCYTOMA SCREEN PRESSOR AMINIES VANILLY/MANDELIC ACID METAMERHINES VANILLY/MANDE	Calprotectin (Faecal)	REIVAL STONE	FLINDED	Tior 1		NO	NO
Analysis) CAIR PONDED ITEF 2 NO NO NO ANALYSIS PUNDED TIEF 1 NO NO NO THE CANNABANOID/CREATININE RATIO CANNABANOID/CREATININE RATIO CANNABANOID/CREATININE RATIO THE THE CANNABIS PUNDED TIEF 1 NO NO NO CARDAY GREEN PRACE CARNITINE TEGRIL FUNDED TIEF 1 NO NO NO CARDAY GREEN PHACECHROMOCYTOMA SCREEN PHACECHROMOCYTOMA			TONDED	TICI 1		140	NO
Cannabinoids, urine Cannabinoids, urine Cannabinoids, urine Carbomazepine TEGRIU TEGRIU TEGRIU TEGRIU TEGRIU TEGRO TIER 1 NO NO NO Carbohydrate DEF, inborn error metabolism Carbohydrate Deficient Transferrin (CDT) Carbohydrate Deficient Transferrin (CDT) Carbohydrate deficient transferrin (CDT) Carbohydrate deficient transferrin See CDT, Transferrin Isoforms FUNDED Tier 2 NO NO NO Carbohydrate deficient transferrin Carbohydrate deficient transferrin See CDT, Transferrin Isoforms FUNDED Tier 2 NO NO NO Carboxy - THC (quantification) Carboxy - THC (quantification) Carboxy - THC (quantification) Carboxy-THC (quantificati	·	CALR	FUNDED	Tier 2		NO	NO
Carbonydrate DEF, inborn error metabolism Carbohydrate DEF, inborn error metabolism Carbohydrate Deficient Transferrin See CDT, Transferrin Isoforms Carbohydrate Deficient Transferrin C(DT) Carbohydrate Deficient Transferrin See Transferrin Isoforms FUNDED Tier 2 NO NO NO Carbohydrate Deficient Transferrin See CDT, Transferrin Isoforms FUNDED Tier 2 NO NO NO Carbohydrate deficient transferrin See CDT, Transferrin Isoforms FUNDED Tier 2 NO NO NO Carbohydrate deficient transferrin See CDT, Transferrin Isoforms FUNDED Tier 2 NO NO NO Carbohydrate deficient transferrin See CDT, Transferrin Isoforms FUNDED Tier 2 NO NO NO Carbohydrate Deficient Transferrin See CDT, Transferrin Isoforms FUNDED Tier 1 NO NO NO Carbohydrate deficient transferrin See CDT, Transferrin Isoforms FUNDED Tier 2 NO NO NO Carbohydrate Deficient Transferrin NO NO NO Carbohydrate Deficient Transferrin Isoforms FUNDED Tier 1 NO NO NO Carbohydrate Deficient Transferrin Isoforms FUNDED Tier 2 NO NO NO NO Carbohydrate Deficient Transferrin Isoforms FUNDED Tier 2 NO NO NO NO Carbohydrate Deficient Transferrin Isoforms FUNDED Tier 2 NO NO NO NO NO Carbohydrate Deficient Transferrin Isoforms FUNDED Tier 2 NO NO NO NO NO NO NO Carbohydrate Deficient Transferrin Isoforms FUNDED Tier 2 NO Carbohydrate Deficient Transferrin Isoforms FUNDED Tier 2 NO	·	CANNABIS	FUNDED	Tier 1		NO	NO
Carbohydrate DEF, inborn error metabolism Carbohydrate Deficient Transferrin (CDT) Carbohydrate Deficient Transferrin (CDT) Carbohydrate Deficient Transferrin See CDT, Transferrin Isoforms, Carbohydrate DEF FUNDED Tier 2 NO NO NO Carbohydrate deficient transferrin See CDT, Transferrin Isoforms FUNDED Tier 2 NO NO NO Carbohydrate deficient transferrin See CDT, Transferrin Isoforms FUNDED Tier 1 NO NO NO Carboxy - THC (quantification) See CDT, Transferrin Isoforms FUNDED Tier 1 NO NO NO NO NO NO Carboxy - THC (quantification) NO NO NO NO NO NO NO NO NO N	Carhamazenine		ELINDED	Tior 1		NO	NO
metabolism Carbohydrate Deficient Transferrin CDT) Carbohydrate Deficient Transferrin CDT) Carbohydrate Deficient Transferrin See CDT, Transferrin Isoforms FUNDED Tier 2 NO NO NO Carbohydrate deficient transferrin See CDT, Transferrin Isoforms FUNDED Tier 2 NO NO NO Carbohydrate deficient transferrin See CDT, Transferrin Isoforms FUNDED Tier 1 NO NO NO Carbohydrate deficient transferrin See CDT, Transferrin Isoforms FUNDED Tier 1 NO NO NO Carbohydrate deficient transferrin See CDT, Transferrin Isoforms FUNDED Tier 1 NO NO NO Carbohydrate Deficient Transferrin NO NO NO Carbohydrate Deficient Transferrin See CTARSFORMS FUNDED Tier 1 NO NO NO NO Carbohydrate Deficient Transferrin NO NO NO NO Carbohydrate Deficient Transferrin See CTARSFORMS FUNDED Tier 1 NO NO NO NO NO NO NO Carbohydrate Deficient Transferrin NO	·	TEGRIL	TONDED	1161 1		NO	NO .
CDT See Transferrin Isoforms, Carbohydrate DEF FUNDED Tier 2 NO NO	metabolism	See CDT, Transferrin Isoforms	FUNDED	Tier 2		NO	NO
Carbohyrdrate deficient transferrin Carboxy - THC (quantification) Carboxy - THC (quantification) CARBON MONOXIDE POISONING FUNDED Tier 1 NO NO NO Carboxyhaemoglobin CARBON MONOXIDE POISONING FUNDED Tier 1 NO NO NO Cardiac Autoantibodies SKELETAL MUSCLE ANTIBODIES STRIATED MUSCLE ANTIBODIES STRIATED MUSCLE ANTIBODIES FUNDED Tier 2 NO NO NO Cardiac catheter HEART STUDY FUNDED Tier 2 NO NO NO Carnitine - plasma/urine FREE CARNITINE TOTAL CARNITINE FUNDED Tier 2 NO NO NO NO Carotene BETA-CAROTENE HMMA HOMO VANILLIC ACID HVA (24hr Urine) HVDROXY METHOXY MANDELIC ACID METHOXY MANDELIC ACID HVA (24hr Urine) NORADRENALINE (Urine) NORADRENALINE (Urine) PHAEOCHROMOCYTOMA SCREEN PRESSOR AMINES VANILLYLMANDELIC ACID CATHETER TIP CULTURE Catheter tip (NOT URINE) Catheter tip (NOT URINE) Catheter tip (NOT URINE) Tier 2 Clinical Microbiologist approval only. NO	,	See Transferrin Isoforms, Carbohydrate DEF	FUNDED	Tier 2		NO	NO
Carboxy - THC (quantification) Carboxyhaemoglobin CARBON MONOXIDE POISONING FUNDED Tier 1 NO NO Cardiac Autoantibodies SKELETAL MUSCLE ANTIBODIES STRIATED MUSCLE ANTIBODIES STRIATED MUSCLE ANTIBODIES STRIATED MUSCLE ANTIBODIES FUNDED Tier 2 NO NO NO Cardiac catheter HEART STUDY FUNDED Tier 2 NO NO NO Carnitine - plasma/urine FUNDED Tier 2 NO NO NO Carotene BETA-CAROTENE AUTOCHALINE (UTINE) DOPAMINE HMMA HOMO VANILLIC ACID HVA (24hr Urine) NORADRENALINE (UTINE) NORADRENALINE (UTINE) NORADRENALINE (UTINE) PHAEOCHROMOCYTOMA SCREEN PRESSOR AMINES VANILLYMAADBELIC ACID VAMA CATHETER TIP CULTURE Catheter tip (NOT URINE) CENTRAL VENOUS LINE CULTURE CENTRAL VENOUS LINE CULTURE FUNDED Tier 2 Cilnical Microbiologist approval only. NO NO NO NO NO NO NO NO NO NO		See CDT, Transferrin Isoforms	FUNDED	Tier 2		NO	NO
Carboxyhaemoglobin CARBON MONOXIDE POISONING FUNDED Tier 1 NO NO Cardiac Autoantibodies SKELETAL MUSCLE ANTIBODIES FUNDED Tier 2 NO NO NO Cardiac Autoantibodies STRIATED MUSCLE ANTIBODIES FUNDED Tier 2 NO NO NO Cardiac catheter HEART STUDY FUNDED Tier 2 NO NO NO Carnitine - plasma/urine FREE CARNITINE FUNDED Tier 2 NO NO NO Carnitine - plasma/urine FREE CARNITINE FUNDED Tier 2 NO NO NO Carotene BETA-CAROTENE FUNDED Tier 1 NO NO Carotene HEART-CAROTENE FUNDED Tier 1 NO NO NO Carotene HOMO VANILLIC ACID HIMMA HOMO VANILLIC ACID HVA (24hr Urine) HYDROXY METHOXY MANDELIC ACID METANEPHRINES (Urine) NORADRENALINE (Urine) PHAEOCHROMOCYTOMA SCREEN PRESSOR AMINES VANILLYLMANDELIC ACID MAA. CATHETER TIP CULTURE Catheter tip (NOT URINE) CENTRAL VENOUS LINE CULTURE FUNDED Tier 2 Clinical Microbiologist approval only. NO NO	·	, , , , , , , , , , , , , , , , , , , ,					
Cardiac Autoantibodies SKELETAL MUSCLE ANTIBODIES STRIATED MUSCLE ANTIBODIES FUNDED Tier 2 NO NO NO Carnitine - plasma/urine FERE CARNITINE TOTAL CARNITINE TOTA		CARRON MONOXIDE POISONING					
Cardiac catheter HEART STUDY FUNDED Tier 2 NO NO Carnitine - plasma/urine FREE CARNITINE TOTAL CARNITINE FUNDED Tier 2 NO NO Carotene BETA-CAROTENE FUNDED Tier 1 NO NO Carotene BETA-CAROTENE FUNDED Tier 1 NO NO DOPAMINE HMMA HOMO VANILLIC ACID HVA (24hr Urine) HVA (24hr Urine) HYDROXY METHOXY MANDELIC ACID METANEPHRINES (Urine) NORADRENALINE (Urine) PHAEOCHROMOCYTOMA SCREEN PRESSOR AMINES VANILLYLMANDELIC ACID ACATHETER TIP CULTURE Catheter tip (NOT URINE) Catheter tip (NOT URINE) FUNDED Tier 2 Clinical Microbiologist approval only: NO NO		SKELETAL MUSCLE ANTIBODIES					
Carnitine - plasma/urine FREE CARNITINE TOTAL CARNITINE FUNDED Tier 2 NO NO NO Carotene BETA-CACRENE ADKENALINE (Urine) DOPAMINE HMMA HOMO VANILLIC ACID HVA (24hr Urine) HYDROXY METHOXY MANDELIC ACID METANEPHRINES (Urine) NORADRENALINE (Urine) PHAEOCHROMOCYTOMA SCREEN PRESSOR AMINES VANILLYLMANDELIC ACID ACATHETER TIP CULTURE Catheter tip (NOT URINE) FUNDED Tier 2 NO	Cardiac catheter		FUNDED	Tier 2		NO	NO
Carotene BETA-CAROTENE ADKENALINE (UTINE) DOPAMINE HMMA HOMO VANILLIC ACID HVA (24hr Urine) Catecholamines - Urine HYDROXY METHOXY MANDELIC ACID METANEPHRINES (Urine) NORADRENALINE (UTine) PHAEOCHROMOCYTOMA SCREEN PRESSOR AMINES VANILLYLMANDELIC ACID CATHETER TIP CULTURE Catheter tip (NOT URINE) FUNDED Tier 2 NO							
ADRENALINE (UTINE) DOPAMINE HMMA HOMO VANILLIC ACID HVA (24hr Urine) HYDROXY METHOXY MANDELIC ACID METANEPHRINES (Urine) NORADRENALINE (UTine) NORADRENALINE (UTine) PHAEOCHROMOCYTOMA SCREEN PRESSOR AMINES VANILLYLMANDELIC ACID CATHETER TIP CULTURE Catheter tip (NOT URINE) Catheter tip (NOT URINE) CATHETER TIP CULTURE FUNDED Tier 2 Clinical Microbiologist approval only. NO NO	· · ·						
HOMO VANILLIC ACID HVA (24hr Urine) Catecholamines - Urine HYDROXY METHOXY MANDELIC ACID METANEPHRINES (Urine) NORADRENALINE (Urine) PHAEOCHROMOCYTOMA SCREEN PRESSOR AMINES VANILLYLMANDELIC ACID CATHETER TIP CULTURE Catheter tip (NOT URINE) Catheter tip (NOT URINE) HOMO VANILLIC ACID Tier 2 NO	Carotene	ADRENALINE (OTINE) DOPAMINE	FUNDED	lier 1		NO	NO
Catheter tip (NOT URINE) CENTRAL VENOUS LINE CULTURE FUNDED Tier 2 Clinical Microbiologist approval only. NO NO	Catecholamines - Urine	HOMO VANILLIC ACID HVA (24hr Urine) HYDROXY METHOXY MANDELIC ACID METANEPHRINES (Urine) NORADRENALINE (Urine) PHAEOCHROMOCYTOMA SCREEN PRESSOR AMINES VANILLYLMANDELIC ACID	FUNDED	Tier 2		NO	NO
	Catheter tip (NOT URINE)	CENTRAL VENOUS LINE CULTURE	FUNDED	Tier 2	Clinical Microbiologist approval only.	NO	NO

Page 5 of 28 Version : March 2020



This list is not exhaustive. If a test is not listed here then it is <u>UNFUNDED</u>. All unfunded tests will be patient paid or charged back to the referrer/clinical service. Most unfunded tests will incur additional shipping costs. Refer to Wellington SCL's Pathology Test Guide for further information. List current as at 1 March 2020.

CEPT AND CEPT AND CEPT ADD	TEST NAME	ALTERNATIVE TEST NAME	FUNDED/UNFUNDED	Guideline	Comment	SHIPPING COSTS	MIDWIVES CAN REQUEST
CEC-1916	CBC	BLOOD FILM EXAMINATION BLOOD SMEAR CBC DIFF DIFFERENTIAL WHITE CELL COUNT EOSINOPHILS FBC FILM FULL BLOOD COUNT HAEMATOCRIT HAEMOGLOBIN HB HCT LEUCOCYTE COUNT MCH MCHC MCV MEAN CELL HAEMOGLOBIN MEAN CELL HAEMOGLOBIN CONCENTRATION MEAN PLATELET VOLUME MPV PACKED CELL VOLUME (PCV) PCV PLATELET COUNT RBC RCC	FUNDED	Tier 1			
CEAR (Bowel)	CBC - film	RDW	FUNDED	Tier 1		NO	NO
CEAR (Bowel)							
CEBPA Mutation Analysis CEBPA Mutation Analysis CEBPA Mutation Analysis CCAT/ferhancer binding protein (CFEBP) alpha CCAT/ferhancer binding protein alpha CC							
Ceruloplasmin (Copper Binding Protein) FUNDED FUNDED Tier 1 NO NO NO Ceruloplasmin (Copper Binding Protein) FUNDED FUNDED Tier 1 NO NO NO CERVICAL SMEAR CYTOLOGY - CONVENTIONAL GYNACCIOGKTAL CYTOLOGY CERVICAL SMEAR CYTOLOGY - CONVENTIONAL GYNACCIOGKTAL CYTOLOGY LICUID—ASED CYTOLOGY PAP S MEAR SMEAR TEST SUBPRATH CFTR CHER GENOTYPING CYSTIC FIBROSIS GENE MUTATIONS DELTA FSO8 Complement function assay CH100 CH50 CH50 CH50 CH50 CH50 CH50 CH50 CH	CEBPA Mutation Analysis	C/EBP alpha CCAAT/enhancer binding protein (C/EBP), alpha CCAAT/enhancer-binding protein alpha CCAAT/enhancer binding protein alpha CEBP	FUNDED			NO	NO
Cervical Smear Conservical Smear Conservical Smear Cervical Smear Conservical Smear Cervical Smear Conservical Smear Conservical Smear Conservical Smear Cervical Smear Conservical Smear Conservica	Cell Markers - COG(ALL) MRD BM	LEBPA HUMAN	UNFUNDED			YES	NO
Cervical Smear Complement Smear Cervical Smear Complement Smear Cervical Smear Cervical Smear Cervical Smear Cervical Smear Complement Smear Cervical Smear Cervical Smear Cervical Smear Cervical Smear Cervical Smear Cervical Smear Complement Smear Cervical Smear Cervical Smear Cervical Smear Cervical Smear Complement Smear Cervical Smear FUNDED 3DHB Patients Cervical Smear Cervical Smear Cervical Smear Testing provided by Wellington Regional Genetics Laboratory and is NO NO NO Smear			FUNDED	Tier 1		NO	NO
CETR Genotyping CTR GENOTYPING CYSTIC FIBROSIS GENE MUTATIONS Only Regional Genetics Laboratory and is COMPLEMENT FUNDED CH50 CH50 CH50 CH50 CH50 CH50 CH60 CH50 CH60 CH50 CH60 CH50 CH60 CH60		CERVICAL SMEAR CYTOLOGY - CONVENTIONAL GYNAECOLOGICAL CYTOLOGY - TEST NO LONGER AVAILABLE LIQUID-BASED CYTOLOGY PAP SMEAR SMEAR TEST SURFPATH					
COMPLEMENT COMPLEMENT FUNDED Tier 2 CH50	CFTR Genotyping	CTFR GENOTYPING CYSTIC FIBROSIS GENE MUTATIONS			Regional Genetics Laboratory and is	NO	NO
Chimerism Studies Chimersim Analysis, work up, first post transplant and subsequent post transplant only Chlamydia / Gono PCR See Chlamydia trachomatis ag PCR Chlamydia / Trich PCR Trichomonas vaginalis PCR Chlamydia Gono PCR See Chlamydia trachomatis ag PCR Trichomonas vaginalis PCR Trichomonas vaginalis PCR FUNDED Tier 1 NO NO NO Chlamydia Gono PCR Chlamydia Gono PCR Trichomonas vaginalis PCR Trichomonas vaginalis PCR Trichomonas vaginalis PCR FUNDED Tier 1 NO NO NO Chlamydia PCR (LGV, Lymphogranuloma Venerum) Ten 2 NO NO NO NO Chlamydia pneumoniae antibodies ATYPICAL PNEUMONIA (Chlamydia antibodies) CHLAMYDIA ANTIBODIES (Chlamydia Poneumoniae Antibodies) CHLAMYDIA ANTIBODIES (Chlamydia Psittaci Chlamydia psittaci antibodies Antibodies) UNFUNDED Testing provided by Wellington Regional Genetics Laboratory and is NO NO YES NO NO NO NO NO NO NO NO NO N	CH50	Complement function assay CH100 CH50 CLASSICAL COMPLEMENT COMPLEMENT FUNCTIONAL COMPLEMENT	FUNDED	Tier 2		NO	NO
Chlamydia / Trich PCR Trichomonas vaginalis PCR FUNDED Tier 1 NO NO Chlamydia IgG - MIF (C pneumoniae) FUNDED FUNDED Funded for paired acute and convalescent sera only. NO NO Chlamydia PCR (LGV, Lymphogranuloma Venerum) ATYPICAL PNEUMONIA (Chlamydia antibodies) Chlamydia pneumoniae antibodies Chlamydia pneumoniae antibodies Chlamydia pneumoniae antibodies Chlamydia pneumoniae Antibodies) CHLAMYDIA ANTIBODIES (Chlamydia Psittaci Chlamydia psittaci antibodies Antibodies) UNFUNDED VES NO					Regional Genetics Laboratory and is	NO	
Chlamydia IgG - MIF (C pneumoniae) Chlamydia PCR (LGV, Lymphogranuloma Venerum) ATYPICAL PNEUMONIA (Chlamydia antibodies) Chlamydia pneumoniae antibodies ATYPICAL PNEUMONIA (Chlamydia antibodies) CHLAMYDIA ANTIBODIES (Chlamydia Preumoniae Antibodies) CHLAMYDIA ANTIBODIES (Chlamydia Psittaci Chlamydia psittaci antibodies Antibodies) UNFUNDED Funded for paired acute and convalescent sera only. NO	, ·						
Chlamydia PCR (LGV, Lymphogranuloma Venerum) ATYPICAL PNEUMONIA (Chlamydia antibodies) Chlamydia pneumoniae antibodies Chlamydia pneumoniae antibodies CHLAMYDIA ANTIBODIES (Chlamydia Pittaci antibodies) CHLAMYDIA ANTIBODIES (Chlamydia Psittaci Chlamydia psittaci antibodies Antibodies) CHLAMYDIA ANTIBODIES (Chlamydia Psittaci CHLAMYDIA ANTIBODIES (Chlamydia Psittaci CHLAMYDIA ANTIBODIES (Chlamydia Psittaci CHLAMYDIA ANTIBODIES (Chlamydia Psittaci		Trichomonas vaginalis PCR		Tier 1	Funded for naired acute and		
Venerum) ATYPICAL PNEUMONIA (Chlamydia antibodies) Chlamydia pneumoniae antibodies CHLAMYDIA ANTIBODIES (Chlamydia Psittaci Chlamydia psittaci antibodies) CHLAMYDIA ANTIBODIES (Chlamydia Psittaci Chlamydia psittaci antibodies) CHLAMYDIA ANTIBODIES (Chlamydia Psittaci Chlamydia psittaci antibodies) VES NO	Chlamydia IgG - MIF (C pneumoniae)		FUNDED			NO	NO
Chlamydia pneumoniae antibodies antibodies Chlamydia Pieturo (CHLAMYDIA ANTIBODIES (Chlamydia Pieturo) (CHLAMYDIA ANTIBODIES (Chlamydia Psittaci CHLAMYDIA ANTIBODIES (Chlamydia Psittaci Chlamydia psittaci antibodies) UNFUNDED YES NO			FUNDED	Tier 2		NO	NO
CHLAMYDIA ANTIBODIES (Chlamydia Psittaci Chlamydia psittaci antibodies Antibodies) UNFUNDED YES NO	Chlamydia pneumoniae antibodies	antibodies) CHLAMYDIA ANTIBODIES (Chlamydia	UNFUNDED			YES	NO
	Chlamydia psittaci antibodies	CHLAMYDIA ANTIBODIES (Chlamydia Psittaci Antibodies)	UNFUNDED			YES	NO

Page 6 of 28 Version : March 2020



Phone: +64 4 381 5900 Fax: +64 4 381 0700

https://www.wellingtonscl.co.nz

This list is not exhaustive. If a test is not listed here then it is <u>UNFUNDED</u>. All unfunded tests will be patient paid or charged back to the referrer/clinical service. Most unfunded tests will incur additional shipping costs. Refer to Wellington SCL's Pathology Test Guide for further information. List current as at 1 March 2020.

TEST NAME	ALTERNATIVE TEST NAME	FUNDED/UNFUNDED	Guideline	Comment	SHIPPING COSTS	MIDWIVES CAN REQUEST
Chloride - serum		FUNDED	Tier 1		NO	NO
Chloride - urine /fluid		FUNDED	Tier 1		NO	NO
Chlorpramine	See Chlorprozamine; Thorazine	FUNDED	Tier 1		NO	NO
Chlorpromazine	LARGACTIL TOTAL	FUNDED	Tier 1		NO	NO
Cholesterol - HDL serum / fluid	LARGACTIL TOTAL	FUNDED	Tier 1		NO	NO
Cholesterol - serum / fluid		FUNDED	Tier 1		NO	NO
Cholinesterase - plasma	ACETYLCHOLINESTERASE CHOLINESTERASE DIBUCAINE NUMBER ORGANOPHOSPHATES	FUNDED	Tier 1		NO	NO
	PSEUDOCHOLINESTERASE SCOLINE TEST					
Cholinesterase - red cell		FUNDED	Tier 1		NO	NO
Cholinesterase phenotype	CHOLINESTERASE ACTIVITY SUXEMETHONIUM	FUNDED	Tier 1		NO	NO
Chromium, plasma		FUNDED	Tier 1/2	Referred or pre-authorised by: Endocrinologist, Haematologist, Dermatologist, Oral Maxillofaciqal surgeon/Oral Medicine Specialist, Paediatrition, GI Surgeon, Neurologist, Orthopaedic Surgeon, Anesthetist/Intensive Care medicine specialist, Approved workplace monitoring scheme, OR prior approval of a chemical pathologist. Metal on metal joint replacements- able to be ordered by other medical practitioners if this indication is stated on the form.	NO	NO
Chromium, urine		FUNDED	Tier 1/2	Referred or pre-authorised by: Endocrinologist, Haematologist, Dermatologist, Oral Maxillofaciqal surgeon/Oral Medicine Specialist, Paediatrition, GI Surgeon, Neurologist, Orthopaedic Surgeon, Anesthetist/Intensive Care medicine specialist, Approved workplace monitoring scheme, OR prior approval of a chemical pathologist. Metal on metal joint replacements- able to be ordered by other medical practitioners if this indication is stated on the form.	NO	NO
Chromogenic FVIII		FUNDED	Tier 2	Flexifunded - Haematologists only,	NO	NO
Chromogranin A		FUNDED	Tier 2	otherwise a charge applies.	NO	NO
Chylomicrons	See fluid for Cholesterol and triglycerides	FUNDED	Tier 1		NO	NO
Chymotrypsin - faeces	See that for endesteror and engineerides	FUNDED	Tier 1		NO	NO
	C1q BINDING ASSAY					
Circular Immune Complex	IMMUNE COMPLEXES	FUNDED	Tier 2		NO	NO
Citalopram	Celexa, Celapram, Arrow-citalopram	UNFUNDED			YES	NO
Citrate - plasma		FUNDED	Tier 2		NO	NO
Citrate - urine		FUNDED	Tier 1		NO	NO
CK (Creatine kinase)		FUNDED	Tier 1		NO	NO
c-Kit mutations	D816V	FUNDED	Tier 2		NO	NO
CKMB (Creatine Phosphokinase MB)		FUNDED	Tier 2	Referred or pre-authorised by: Cardiologist, Neurologist, Paediatrician or prior approval by Chemical Pathologist	NO	NO
Clobazam	Frisium, Urbanol, Onfi, Tapclob	FUNDED	Tier 1		NO	NO
Clomipramine, plasma	ANAFRANIL CLOPRESS	UNFUNDED			YES	NO
Clonazepam	RIVOTRIL	FUNDED	Tier 1		NO	NO
Clostridium difficle toxin A&B		FUNDED	Tier 1		NO	NO
Clostridum difficile (antigen screen)		FUNDED	Tier 1		NO	NO
Clozapine / Clozaril		FUNDED	Tier 1		NO	NO
CMV IgG		FUNDED	Tier 1		NO	YES
CMV IgG avidity		FUNDED	Tier 2		NO	NO
		FUNDED FUNDED	Tier 2 Tier 1		NO NO	NO YES
CMV IgG avidity	See CMV Viral Load					

Page 7 of 28 Version : March 2020



Phone: +64 4 381 5900 Fax: +64 4 381 0700

https://www.wellingtonscl.co.nz

This list is not exhaustive. If a test is not listed here then it is <u>UNFUNDED</u>. All unfunded tests will be patient paid or charged back to the referrer/clinical service. Most unfunded tests will incur additional shipping costs. Refer to Wellington SCL's Pathology Test Guide for further information. List current as at 1 March 2020.

TEST NAME	ALTERNATIVE TEST NAME	FUNDED/UNFUNDED	Guideline	Comment	SHIPPING COSTS	MIDWIVES CAN REQUEST
CN1A antibody (myositis antibody)	anti-cytosolic 5'-nucleotidase (cN1A); anti- NT5C1A	FUNDED	Tier 2	Neurologists, Rheumatologists, clinical immunologists, physicians if approved by a neurologist or rheumatologist.	NO	NO
Coagulation screen	See Haemostasis	FUNDED	Tier 1	meumatologist.	NO	YES
Cobalt - plasma		FUNDED	Tier 1/2	Referred or pre-authorised by: Endocrinologist, Haematologist, Dermatologist, Oral Maxillofaciqal surgeon/Oral Medicine Specialist, Paediatrition, GI Surgeon, Neurologist, Orthopaedic Surgeon, Anesthetist/Intensive Care medicine specialist, Approved workplace monitoring scheme, OR prior approval of a chemical pathologist. Metal on metal joint replacements- able to be ordered by other medical practitioners if this indication is stated on the form.	NO	NO
Cobalt - urine		FUNDED	Tier 1/2	Referred or pre-authorised by: Endocrinologist, Haematologist, Dermatologist, Oral Maxillofaciqal surgeon/Oral Medicine Specialist, Paediatrition, GI Surgeon, Neurologist, Orthopaedic Surgeon, Anesthetist/Intensive Care medicine specialist, Approved workplace monitoring scheme, OR prior approval of a chemical pathologist. Metal on metal joint replacements- able to be ordered by other medical practitioners if this indication is stated on the form.	NO	NO
Cocaine - urine		FUNDED	Tier 1		NO	NO
Coccidioidomycosis antibodies		UNFUNDED			YES	NO
Coeliac screen	Refer Tissue Transglutaminase IgA	FUNDED	Tier 1		NO	NO
Coenzyme Q10	CO Q10 COENZYME Q10 COQ	FUNDED	Tier 2	Referred or pre-authorised by: Cardiologist, Neurologist, Paediatrician or prior approval by Chemical Pathologist.	NO	NO
Cold Agglutinins		UNFUNDED			YES	NO
Collagen Binding Assay		FUNDED	Tier 2		NO	NO
COL7A1	Collagen type VII alpha 1 Chain	UNFUNDED		Referred to Wellington Regional Genetics. Sent to Prevention Genetics USA. Funding for test needs to be identified prior to sending.	YES	NO
Complement C1q		UNFUNDED		Schaing.	YES	NO
Complement degradation products	ACTIVATION OF COMPLEMENT PATHWAY STUDY C3 CLEAVAGE C3d COMPLEMENT ACTIVATION (Degradation)	UNFUNDED			YES	NO
Complement factor H	PRODUCTS	UNFUNDED			YES	NO
Complement levels	C3/C4	FUNDED	Tier 1		NO	NO
Coombs test	COOMBS TEST DAT DCT DIRECT COOMBS TEST	FUNDED	Tier 1		NO	YES
Copper - liver	COPPER QUANTITATION IN LIVER BIOPSY DRY WEIGHT IRON IRON QUANTITATION IN LIVER BIOPSY LIVER IRON OR COPPER	FUNDED	Tier 2		NO	NO
Copper - plasma	Cu	FUNDED	Tier 1/2	Haematologist, Dermatologist, Oral Maxillofaciqal surgeon/Oral Medicine Specialist, Paediatrition, Gastroenterologist, GI Surgeon, Neurologist, Anesthetist/Intensive Care medicine specialist, Approved workplace monitoring scheme, OR prior approval of a chemical pathologist. Post Bariatric Surgeryable to be ordered by other medical practitioners if this indication is	NO	NO

Page 8 of 28 Version : March 2020



Phone: +64 4 381 5900 Fax: +64 4 381 0700

https://www.wellingtonscl.co.nz

This list is not exhaustive. If a test is not listed here then it is <u>UNFUNDED</u>. All unfunded tests will be patient paid or charged back to the referrer/clinical service. Most unfunded tests will incur additional shipping costs. Refer to Wellington SCL's Pathology Test Guide for further information. List current as at 1 March 2020.

TEST NAME	ALTERNATIVE TEST NAME	FUNDED/UNFUNDED	Guideline	Comment	SHIPPING COSTS	MIDWIVES CAN REQUEST
Copper - urine	Cu	FUNDED	Tier 1/2	Haematologist, Dermatologist, Oral Maxillofaciqal surgeon/Oral Medicine Specialist, Paediatrition, Gastroenterologist, GI Surgeon, Neurologist, Anesthetist/Intensive Care medicine specialist, Approved workplace monitoring scheme, OR prior approval of a chemical pathologist. Post Bariatric Surgeryable to be ordered by other medical practitioners if this indication is	NO	NO
Corticosteroid Binding Globulin	CBG CORTISOL BINDING GLOBULIN	FUNDED	Tier 2	Referred or pre-authorised by: Endocrinologist, OR prior approval of a chemical pathologist.	NO	NO
Cortisol - salivary		FUNDED	Tier 1		NO	NO
Cortisol - serum	See also Dexamethasone suppression test and synacthen stimulation test.	FUNDED	Tier 1		NO	NO
Cortisol - urine 24 hr (free)	CORTICOSTEROIDS UFC URINARY FREE CORTISOL	FUNDED	Tier 1		NO	NO
Cotinine, urine	STANK AND THE GOVERNOOF	FUNDED	Tier 1		NO	NO
Cowden Disease	PTEN Hamartoma Tumor syndrome	FUNDED	Tier 1		NO	NO
Coxellia serology	Q-Fever	FUNDED	Tier 2	Q fever is not currently listed on the Schedule but practitioners are requested to notify this with the informed consent of the patient. Their name and contact details and some details will be provided by the responsible medical practitioner to the local Medical Officer of Health for public health follow-up and inclusion in national infectious disease statistics.	NO	NO
CPK (Creatine phosphokinase)		FUNDED	Tier 1		NO	NO
Creatine - fluid	Urine creatine/creatine, Urine creatine metabolites by MSMS	FUNDED	Tier 2		NO	NO
Creatinine - CSF		FUNDED	Tier 2		NO	NO
Creatinine - serum		FUNDED	Tier 1		NO	YES
Creatinine - urine/fluid		FUNDED	Tier 1		NO	YES
Creatinine clearance		FUNDED	Tier 1	NIZDC	NO	YES
Crossmatch CRP	C reactive protein	FUNDED FUNDED	Tier 1 Tier 1	NZBS	NO NO	NO YES
CRP-hs	hs-CRP, high sensitive CRP	FUNDED	Tier 2	Referred or pre-authorised by: Cardiologist, Internal medicine specialist, Specialist lipid, metabolic or cardiovascular disease clinic, OR prior approval of a chemical	NO	NO
Cryoprotein	Cryoglobulins, Cryofibrinogen	FUNDED	Tier 1	Patrologict	NO	NO
Cryptococcus neoformans	Cryptococcus antigen	FUNDED	Tier 2		NO	NO
Cryptosporidium (O&P)	CRYPTOSPORIDIUM FAECES - CRYPTOSPORIDA FAECES - GIARDIA	FUNDED	Tier 1		NO	NO
Crystals	ASPIRATE (JOINT) FOR MICROBIOLOGY BURSA FLUID FOR MICROBIOLOGICAL INVESTIGATION CRYSTALS (Synovial) ELBOW JOINT ASPIRATE FOR MICROBIOLOGY JOINT FLUID FOR MICROBIOLOGY KNEE JOINT ASPIRATE FOR MICROBIOOLGY SYNOVIAL FLUID URIC ACID CRYSTALS	FUNDED	Tier 1		NO	NO
CSF ACE	CSF ANGIOTENSIN CONVERTING ENZYME	UNFUNDED			YES	NO
CSF amino acid		FUNDED	Tier 2		NO	NO
CSF culture & cell count		FUNDED	Tier 2		NO	NO
CSF cytospin		FUNDED	Tier 2		NO	NO
CSF Flow Cytometry		FUNDED	Tier 2		NO	NO
CSF Neurotransmitters		FUNDED	Tier 2		NO	NO
CSF oligoclonal banding		FUNDED	Tier 2	Poterrad to Wallington Pagional	NO	NO
CSF Orexin		UNFUNDED		Referred to Wellington Regional Genetics. Funding for test needs to be identified prior to sending.	YES	NO

Page 9 of 28 Version : March 2020



Phone: +64 4 381 5900 Fax: +64 4 381 0700

https://www.wellingtonscl.co.nz

This list is not exhaustive. If a test is not listed here then it is <u>UNFUNDED</u>. All unfunded tests will be patient paid or charged back to the referrer/clinical service. Most unfunded tests will incur additional shipping costs. Refer to Wellington SCL's Pathology Test Guide for further information. List current as at 1 March 2020.

TEST NAME	ALTERNATIVE TEST NAME	FUNDED/UNFUNDED	Guideline	Comment	SHIPPING COSTS	MIDWIVES CAN REQUEST
Customised Variant Testing		UNFUNDED		Referred to Wellington Regional Genetics. Funding for test needs to be identified prior to sending.	YES	
CX Bladder Test	CX Bladder Triage CX Bladder Detect CX Bladder Resolve	FUNDED	Tier 2	Flexifunded - CCDHB Urologists only, otherwise a charge applies.	NO	NO
Cyanide - blood	CX Bladder Monitor	FUNDED	Tier 1		NO	NO
Cyclosporin A	NEORAL	FUNDED	Tier 1		NO	NO
CYP2D6/CYP2C9		UNFUNDED		Referred to Wellington Regional Genetics. Sent to Douglass Hanly Moir Pathology NSW. Funding for test needs to be identified prior to sending.	YES	NO
Cystatin C		FUNDED			NO	NO
Cysticercosis Abs	PARASITE SEROLOGY TAENIA ANTIBODIES TAENIA CRUZII TAENIA SOLIUM ANTIBODIES TAPEWORM ANTIBODIES	FUNDED	Tier 2	Notifiable.	NO	NO
Cystine Quantitation	See Amino Acids (urine)	FUNDED			YES	NO
Cytology - Non Gynae		FUNDED	Tier 1		NO	NO
Cytology - CSF		FUNDED	Tier 2		NO	NO
Cytology - FNA		FUNDED	Tier 2		NO	NO
Cytology-Sputum		FUNDED	Tier 2		NO	NO
D-dimer	See Fibrin Degradation Products	FUNDED	Tier 1		NO	NO
Dengue fever screening	See Arbovirus	FUNDED	Tier 2	Notifiable. Consult the local microbiologist to discuss appropriate testing and interpretation of results. The Communicable Disease Control Manual (2012) states closely related arboviruses can be clinically indistinguishable and exhibit serologic cross-reactivity. Therefore, positive results of serologic tests should be investigated further by cross-neutralisation methods using a battery of viruses relevant to the region where the case was exposed.	NO	NO
Densitometry	Refer Electrophoresis	FUNDED	Tier 1		NO	NO
Desipramine	PERTOFRAN	FUNDED	Tier 1		NO	NO
Desmethylclozapine	Clozapine metabolite	UNFUNDED	1		YES	NO
Dexamethasone suppression test	Serum Cortisol	FUNDED	Tier 1		NO	NO
DFS70 antibodies	Jerum Cortison	FUNDED	Tier 2	Flexifunded - Immunologists and Rheumatologists only, otherwise a charge applies.	NO	NO
DGP IgG	See Gliadin Antibody	FUNDED	Tier 1	criarge applies.	NO	NO
DHEAS	ANDROGEN SULPHATES ANDROGENS (DHEAS) DHAS DHEAS	FUNDED	Tier 2	Referred or pre-authorised by: Endocrinologist, Paediatrition, O&G Specialist, , OR prior approval of a chemical pathologist	NO	NO
Di hydro testosterone	5 ALPHA T DHT DIHYDRO T	FUNDED	Tier 2	Referred or pre-authorised by: Endocrinologist, Paediatrition, O&G Specialist, , OR prior approval of a chemical pathologist.	NO	NO
Diazepam	BENZODIAZEPINE (Blood) VALIUM	FUNDED	Tier 1		NO	NO
DIC screen	See INR, APTT, Thrombin clotting time, Fibrinogen and D-dimer	FUNDED	Tier 1		NO	NO
Digoxin	Lanoxin	FUNDED	Tier 1		NO	NO
Dilute Russell Viper Venom Time	See Lupus anticoagulant screen	FUNDED	Tier 1		NO	NO
Dioxin		UNFUNDED			YES	NO
Dipstix, urine		FUNDED	Tier 1		NO	NO
Diphtheria Antibodies	Toxoid IgG	FUNDED	Tier 1		NO	NO
Direct antiglobulin test	Coombs test, DCT, DAT	FUNDED	Tier 1		NO	YES
Disaccharides, duodenal biopsy		FUNDED	Tier 2		NO	NO
Disopyramide	Norpace, Pyramide, Rythmodan	FUNDED	Tier 1		NO	NO
Diuretic screen	Thiazide diuretics	FUNDED	Tier 1		NO	NO
	See ASOT, Anti-streptolysin-O titre,					
DNAseB (Anti)	Streptococcal Ab, Streptonase B	FUNDED	Tier 1		NO	NO
DOCK8 Mutation	on epitotoccal no, on epitoriase o	UNFUNDED		Referred to Wellington Regional Genetics. Funding for test needs to be identified prior to sending.	YES	
Dothiepin	DOPRESS PROTHIADEN	FUNDED	Tier 1		NO	NO

Page 10 of 28 Version : March 2020



Phone: +64 4 381 5900 Fax: +64 4 381 0700

https://www.wellingtonscl.co.nz

This list is not exhaustive. If a test is not listed here then it is <u>UNFUNDED</u>. All unfunded tests will be patient paid or charged back to the referrer/clinical service. Most unfunded tests will incur additional shipping costs. Refer to Wellington SCL's Pathology Test Guide for further information. List current as at 1 March 2020.

TEST NAME	ALTERNATIVE TEST NAME	FUNDED/UNFUNDED	Guideline	Comment	SHIPPING COSTS	MIDWIVES CAN REQUEST
Doxepin	ANTEN SINEQUAN	FUNDED	Tier 1		NO	NO
Drain fluid - joint, FNA, wash, c/s	SIVEQUAIN	FUNDED	Tier 1		NO	NO
Drug analysis (unknown drug) plasma		FUNDED			NO	NO
Drug screen - confirmation		FUNDED	Tier 1		NO	NO
Drug screen - non evidential	ANTI DOUBLE STRANDED DNA (Screen)	FUNDED	Tier 1		NO	NO
ds DNA	ANTI DO OBLE STRANDED DINA (SCIEBII) ANTI DO DNA CRITHIDIA ANTIBODIES DNA ANTIBODIES DOUBLE STRANDED DNA ANTIBODIES DS DNA CONFIRMATORY dsDNA ANTIBODIES FARR ASSAY	FUNDED	Tier 1		NO	NO
Dysmorphic red blood cells (RBC's)	See Urine Red Cell Morphology	FUNDED	Tier 1		NO	NO
EAST (Specific IgE)	ALLERGEN SPECIFIC IGE ALLERGEN SPECIFIC IMMUNOGLOBULIN IGE ARA H2 ASPERGILLUS FUMIGATUS ASPERGILLUS IGE BEE / WASP VENOM ALLERGY CAP SPECIFIC IGE EAST FP5 IMMUNOGLOBULINS E Specific Allergens	FUNDED	Tier 1		NO	NO
EBV IgM	Epstein Barr Virus	FUNDED	Tier 1		NO	NO
EBV IgG	Epstein Barr Virus	FUNDED	Tier 1		NO	NO
EBV IgG & IgM	EBV GLANDULAR FEVER SEROLOGY HETEROPHILE ANTIBODY IM INFECTIOUS MONONUCLEOSIS INFECTIOUS MONONUCLEOSIS SCREEN PAUL BUNNELL - TEST NO LONGER AVAILABLE - See EBV PR - TEST NO LONGER AVAILABLE - See ERV.	FUNDED	Tier 1		NO	NO
EBV PCR	EBV Viral Load PCR	FUNDED	Tier 2		NO	NO
EBV viral load	EBV PCR	FUNDED	Tier 2		NO	NO
Ectoparasites	Insects, Lice (head, body, pubic), Scabies,	FUNDED	Tier 1		NO	NO
·	Ticks Glomerular filtration rate calculation					
eGFR EGFR-TK-Gene mutation	Giorner diar intration rate carculation	FUNDED FUNDED	Tier 1 Tier 2		NO NO	NO NO
	E. coli, E. coli O157, E. coli non-O157, STEC,					
EHEC culture and toxin	Shiga-like toxin	FUNDED	Tier 1		NO	YES
Elastase, faecal (pancreatic)	FAECAL ELECTROLYTES	FUNDED	Tier 1		NO	NO
Electrolytes - faeces	SODIUM POTASSIUM FAECES ASPIRATE ELECTROLYTES	FUNDED	Tier 1		NO	NO
Electrolytes - urine / fluid	ELECTROLYTES (ASPIRATE) FLUID ELECTROLYTES POTASSIUM (Fluid) SODIUM (Fluid)	FUNDED	Tier 1		NO	NO
Electron Microscopy for Virus particles		FUNDED	Tier 2		NO	NO
Electrophoresis	ALPHA 1 GLOBULIN ALPHA 2 GLOBULIN BETA GLOBULIN DENSITOMETRY DENSITOMETRY DENSITOMETRY OF SERUM PROTEINS ELECTROPHORESIS BAND ELECTROPHORETIC PROTEIN PATTERN EPG EPP GAMMA GLOBULIN M SPIKE PEP QUANTITATION OF M BAND SCANNED BAND	FUNDED	Tier 1		NO	NO
EMA Binding Abnormal HbA2 -		FUNDED	Tier 2		NO	NO
hereditary spherocytosis						
EMA IgA	Endomysial antibodies	FUNDED	Tier 1		NO	NO
ENA Blot ENA screen (Extractable Nuclear Antigen)	See Histone Antibodies anti-SM; anti-topoisomerase; ENA; Jo-1 antibody; RNP; ribonucleoprotein; salivary	FUNDED FUNDED	Tier 2		NO NO	NO NO
Entamoeba histolytica PCR	autoantibodies; Ro52; Ro; anti Ku	UNFUNDED			YES	NO
Entamoeba histolytica serology	Amoebic serology	FUNDED	Tier 1		NO	NO
Enteric adenovirus serology		FUNDED	Tier 1		NO	NO
Enterocyte antibodies		UNFUNDED			YES	NO
						-

Page 11 of 28 Version : March 2020



Phone: +64 4 381 5900 Fax: +64 4 381 0700

https://www.wellingtonscl.co.nz

This list is not exhaustive. If a test is not listed here then it is <u>UNFUNDED</u>. All unfunded tests will be patient paid or charged back to the referrer/clinical service. Most unfunded tests will incur additional shipping costs. Refer to Wellington SCL's Pathology Test Guide for further information. List current as at 1 March 2020.

TEST NAME	ALTERNATIVE TEST NAME	FUNDED/UNFUNDED	Guideline	Comment	SHIPPING COSTS	MIDWIVES CAN REQUEST
Enterovirus PCR	COXSACKIE VIRUS PCR ECHOVIRUS PCR ENTEROVIRUS RNA PCR ENTV PCR POLIOVIRUS	FUNDED	Tier 2		NO	NO
Environmental specimen	Settle plates, RODAC	FUNDED		Public Hospital only.	NO	NO
Envoplakin & Periplakin		UNFUNDED		Sent to NSW Health Pathology Westmead NSW Australia.	YES	NO
Epinephrine (Plasma Catecholamines)	See Norepinephrine	FUNDED	Tier 2	Westifiedu NSW Australia.	NO	NO
EPO Assay	See Erythropoietin Assay	FUNDED	Tier 2		NO	NO
Erythropoetin	See EPO Assay	FUNDED	Tier 2		NO	NO
ESBL screen	Extended spectrum beta-lactamase producer	FUNDED	Tier 2		NO	NO
ESR Essential Fatty Acids	SEDIMENTATION RATE Linoleic acid, oleic acid, stearic acid, omega 6, omega 3, omega 9, mead acid, fatty acids, docosapentaemoic acid, docosahexaenoic acid, eicopentaemoic acid, lindenic acid,and arachidonic acid.	FUNDED	Tier 1		NO YES	NO NO
Ethosuximide	Zarontin	FUNDED	Tier 1		NO	NO
Ethyl Glucuronide		UNFUNDED			YES	NO
Ethylene Glycol	anti-freeze	FUNDED	Tier 1		NO	NO
Everolimus	Factor VIII	UNFUNDED	Tion 2		YES	NO
F13 Assay Fabrys disease	Factor XIII See Alpha galactosidase	FUNDED UNFUNDED	Tier 2		NO YES	NO NO
F-actin Antibodies	See Alpha galactosidase	FUNDED	Tier 2		NO	NO
Factor II		FUNDED	Tier 2		NO	NO
Factor V Leiden	PROTHROMBIN G20210A PROTHROMBIN MUTATION	FUNDED	Tier 2	Medical practitioners working in general practice may order a thrombophilia screen. If there is an index case in the family, individual genetic tests (e.g. Antithrombin, or Protein C) are restricted to a haematologist or clinical geneticist as counselling may be required prior to testing other family members.	NO	NO
Factor V, VII, VIII, X, IX, XI,XII		FUNDED	Tier 2		NO	NO
Factor VIII Binding Assay		UNFUNDED			YES	NO
Factor VIII Inhibitor Assay	See Inhibitor Assay	FUNDED	Tier 2		NO	NO
Factor XIII (assume screen) Faecal culture	CAMPYLOBACTER CULTURE SALMONELLA CULTURE (Non-Typhoid) SHIGELLA (CULTURE) TYPHOID FEVER - Clearance VANCOMYCIN RESISTANT ENTEROCOCCI YERSINIA (CULTURE)	FUNDED	Tier 1		NO NO	NO YES
Faecal Occult Blood	FAECES - OCCULT BLOOD OB OBR	FUNDED		Flexifunded - GPs and Gastroenterologists only, otherwise a charge applies.	NO	NO
Faecal parasites	BILHARZIA (Faeces) ENTAMOEBA HISTOLYTICA ENTEROBIUS INTESTINAL PARASITES OCP (OVA, CYSTS and PARASITES) OVA, CYSTS and PARASITES PARASITES PINWORM SCHISTOSOMA DIRECT EXAMINATION (Faeces) STRONGYLOIDES STERCORALIS	FUNDED	Tier 1		NO	NO
Familial hypercholesterolaemia genetic screen	Familial Defective ApoB Genotype, LDLR DHPLC Sequencing	UNFUNDED		Referred to Wellington Regional Genetics. Funding for test needs to be identified prior to sending.	YES	NO
Familial Mediterranean Fever Mutation	TRAPS	UNFUNDED			YES	NO
Fascioliasis serology		UNFUNDED	Ti 1		YES	NO
Ferritin, serum Ferroportin Sequence Analysis	DNA Seq (5 temp)	FUNDED UNFUNDED	Tier 1		NO YES	YES NO
Fibrin degradation products	See D dimers	FUNDED	Tier 1		NO	NO
Fibringen - quantitative	See D uniters	FUNDED	Tier 1		NO	NO
Fibronectin - foetal (FFN)		FUNDED	Tier 2		NO	NO
Filaria antibodies	FILARIA BLOOD EXAMINATION PARASITES (Blood) - MICROFILARIA	FUNDED	2		NO	NO
FIP1L1-PDGFRA RT-PCR (Hyper Eosinohilic Syndrome)	FIP1L1-PDGFR alpha transcript deletion	FUNDED	Tier 2		NO	NO

Page 12 of 28 Version : March 2020



Phone: +64 4 381 5900 Fax: +64 4 381 0700

https://www.wellingtonscl.co.nz

This list is not exhaustive. If a test is not listed here then it is <u>UNFUNDED</u>. All unfunded tests will be patient paid or charged back to the referrer/clinical service. Most unfunded tests will incur additional shipping costs. Refer to Wellington SCL's Pathology Test Guide for further information. List current as at 1 March 2020.

TEST NAME	ALTERNATIVE TEST NAME	FUNDED/UNFUNDED	Guideline	Comment	SHIPPING COSTS	MIDWIVES CAN REQUEST
FISH - Haem/Oncology	FLUORESCENT IN SITU HYBRIDISATION	FUNDED	Tier 2	Referred or pre-authorised by: Endocrinologist, Paediatrition, Obstetrician, Haematologist ,Oncologist, Pathologist. Interphase / metaphase analysis from prenatal, postnatal and oncology referrals using fluorescently labelled DNA probes The appropriate clinical information for testing is provided for postnatal referrals only, if there is strong clinical suspicion of a chromosome abnormality the referrer may order a microarray instead (following the process above).	NO	NO
FISH - HER2 (breast cancer)		FUNDED	Tier 2	Referred or pre-authorised by: Endocrinologist, Paediatrition, Obstetrician, Haematologist Oncologist, Pathologist. Interphase / metaphase analysis from prenatal, postnatal and oncology referrals using fluorescently labelled DNA probes The appropriate clinical information for testing is provided For postnatal referrals only, if there is strong clinical suspicion of a chromosome abnormality the referrer may order a microarray instead (following the process above).	NO	NO
Flecainide	TAMBOCOR	FUNDED	Tier 1		NO	NO
FLT3 NPM1 (Nucleophosmin)	NPM1 MUTATION ANALYSIS FLOXAPEN	FUNDED	Tier 2		NO	NO
Flucloxacillin	FLUCLOXIN	UNFUNDED			YES	NO
Flucytosine (5-fluorocytosine)	5-FU	UNFUNDED			YES	NO
FMH Estimation Foetal Maternal		UNFUNDED			YES	NO
Haemorrhage flow cytometry	See Kleihauer	FUNDED	Tion 1		NO	NO
Foetal cell count Folate, serum	See Kielilauer	FUNDED	Tier 1 Tier 2		NO	YES
Free Fatty Acids		FUNDED	Tier 2		NO	NO
Free Light Chains - serum	FLC LIGHT CHAINS (Serum) SERUM LIGHT CHAINS	FUNDED	Tier 2	The requirement for the test is determined by the specialist referrer.	NO	NO
Free Light Chains - urine	SENOW EIGHT CHAINS	FUNDED	Tier 2	Terener.	NO	NO
Fructosamine		FUNDED	Tier 1		NO	NO
Fructose, seminal fluid		UNFUNDED			YES	NO
Frusemide	See Diuretic Screen	FUNDED	Tier 1		NO	NO
FSH		FUNDED	Tier 1		NO	NO
FTA - plasma,(Fluorescent Treponemal Antibodies), CSF-for Neurosyphilis diagnosis ONLY		FUNDED	Tier 2		NO	NO
Fungal MIC		FUNDED	Tier 2		NO	NO
Fungi - clippings or scrapings		FUNDED	Tier 1		NO	NO
FVL/PT PCR	Refer Factor V Leiden	FUNDED	Tier 1		NO	NO
G6PD assay GLUCOSE 6 PHOSPHATE DEHYDROGENASE	G6PD RBC G6PD	FUNDED	Tier 1		NO	NO
G6PD screen GABA (b) IgG	See Neuronal Antibodies	FUNDED FUNDED	Tier 1 Tier 2		NO NO	NO NO
	Glutamic acid decarboxylase antibodies					
GABA (Glut acid decarb abs)	GAD antibodies	FUNDED	Tier 2		NO	NO
Galactomannan Galactose	ASPERGILLUS GALACTOMANNAN GALACTOSE 1 PHOSPHATE NEWBORN SCREENING PHENYLALANINE (NEWBORN) PHENYLKETONURIA	FUNDED	Tier 2		NO NO	NO NO
Ganglioside Antibodies	PKU ANTI GQ1B	UNFUNDED			YES	NO
	GM1 ANTIBODIES (Anti-glycolinid Antibody Titres IgG)					
Ganglioside Antibodies Ganglioside Antibodies	(Anti-glycolipid Antibody Titres IgG) (Anti-glycolipid Antibody Titres IgM)	UNFUNDED UNFUNDED			YES YES	NO NO
Ganglionic (alpha3) AChR receptor antibodies	France Biscombine Autonopal Titles (Bist)	UNFUNDED			YES	NO
Gastric Parietal Cell Autoabs	PCA	FUNDED	Tier 1		NO	NO
Gastrin - serum		FUNDED	Tier 2		NO	NO

Page 13 of 28 Version : March 2020



Phone: +64 4 381 5900 Fax: +64 4 381 0700

https://www.wellingtonscl.co.nz

This list is not exhaustive. If a test is not listed here then it is <u>UNFUNDED</u>. All unfunded tests will be patient paid or charged back to the referrer/clinical service. Most unfunded tests will incur additional shipping costs. Refer to Wellington SCL's Pathology Test Guide for further information. List current as at 1 March 2020.

TEST NAME	ALTERNATIVE TEST NAME	FUNDED/UNFUNDED	Guideline	Comment	SHIPPING COSTS	MIDWIVES CAN REQUEST
GBM screen (Glomerular Basement Membrane Antibodies)	GBM ANTIBODIES	FUNDED	Tier 2		NO	NO
GBS Screen (Group B Strep screen)		FUNDED	Tier 2		NO	YES
GCMS Quantitation - drug	GCMS/HPLC/GLC	FUNDED	Tier 2		NO	NO
Gentamicin		FUNDED	Tier 1		NO	NO
	GAMMA GT					
GGT (g-GT)	GGT	FUNDED	Tier 1		NO	YES
	GGTP					
	GLUTAMYLTRANSFERASE CRYPTOSPORIDIUM					
Giardia	FAECES - CRYPTOSPORIDA	FUNDED	Tier 1		NO	NO
	FAECES - GIARDIA					
Giardia / crypto	See Giardia	FUNDED	Tier 1		NO	NO
Gilbert Syndrome Mutation	UGT1A1 GENOTYPING	UNFUNDED			YES	NO
Gliadin antibody	ANTI GLIADIN ANTIBODIES DGP Assay GLIADIN PEPTIDE IgG (Deaminated)	FUNDED			NO	NO
Glucagon		FUNDED	Tier 2		NO	NO
Glucose - CSF		FUNDED	Tier 2		NO	NO
Glucose - serum		FUNDED	Tier 1		NO	YES
Glucose - urine / fluid		FUNDED	Tier 1		NO	NO
Glucosylsphingosine (plasma)	CHITOTRIOSIDASE	UNFUNDED	TICL I		YES	NO
Glycine receptor antibodies		UNFUNDED			YES	NO
Glycolate & Glyceric acid, urine		UNFUNDED			YES	NO
GM-1 Antibodies (anti-glycolipid)	Refer Ganglioside antibodies	UNFUNDED			YES	NO
GPC Antibodies	Pernicius Anaemia antibody	FUNDED	Tier 1		NO	NO
Growth hormone-somatotrophin	GH GROWTH HORMONE HGH SOMATOTROPHIN	Charge applies unless approved by a Specialist.	Tier 1	A charge applies, except where the test is ordered by a registered medical specialist, or where specialist approval is obtained and the approving clinician's name and the clinical indication for the test is noted in the clinical details section.	NO	NO
GTT 50gm		FUNDED	Tier 1		NO	YES
GTT 75gm		FUNDED	Tier 1		NO	YES
Guanidinoacetate (Urine)		UNFUNDED			YES	NO
H gene analysis	See Haemochromotosis, HFE Genotype	FUNDED	Tier 1		NO	NO
H Infl T2 Vacc (antibody) response	HAEMOPHILUS ABS HAEMOPHILUS INFLUENZA TYPE 2 ANTIBODY RESPONSE HIB	FUNDED	Tier 2		NO	NO
Haemochromatosis	See H gene analysis, HFE Genotype	FUNDED	Tier 1		NO	NO
Haemoglobin F		FUNDED	Tier 1		NO	NO
Haemoglobin H		FUNDED	Tier 1		NO	NO
Haemoglobin S		FUNDED	Tier 1		NO	NO
Haemoglobin stability		FUNDED	Tier 1		NO	NO
Haemoglobinopathy studies	See Thalassaemia Group	FUNDED	Tier 1		NO	NO
Haemophagocytic lymphohistiocytosis		LINEUNDED			VEC	NO
(HLH) Hereditary		UNFUNDED			YES	NO
Haemosiderin (urine)		FUNDED	Tier 1		NO	NO
Haemostasis screen	See Coagulation screen	FUNDED	Tier 1		NO	NO
HAINS plus		UNFUNDED			YES	NO
HAINS sl		UNFUNDED			YES	NO
Haldol / Haloperidol		FUNDED	Tier 1		NO	NO
Halothane (Fluthane) CYP21		UNFUNDED			YES	NO
Hams Acid Serum Test	See PNH	FUNDED	Tier 2		NO	NO
Haptoglobin		FUNDED	Tier 1		NO	NO
Hb electrophoresis		FUNDED	Tier 1		NO	NO
Hb Pigments - Serum (Myoglobin)		FUNDED	Tier 2		NO	NO
HbA1c		FUNDED	Tier 1		NO	YES
Heat Shock Protein 65 Gene	(Tropheryma whippelii)	UNFUNDED			YES	NO
Heavy Chain Molecular Status		UNFUNDED			YES	NO
Heinz body screen		FUNDED	Tier 1		NO	NO
		FUNDED	Tier 1		NO	NO
· · · · · · · · · · · · · · · · · · ·			Tier 1		NO	NO
Helicobacter pylori Abs		FUNDED	IICI I			
Helicobacter pylori Abs Helicobacter pylori antigen Heparin assay	See Anti Factor 10A, Anti Xa levels	FUNDED FUNDED	Tier 1		NO	NO
Helicobacter pylori Abs Helicobacter pylori antigen	See Anti Factor 10A, Anti Xa levels See HIT Antibody					NO NO
Helicobacter pylori Abs Helicobacter pylori antigen Heparin assay Heparin Induced Platelet Abs (HIT)		FUNDED	Tier 1		NO	
Helicobacter pylori Abs Helicobacter pylori antigen Heparin assay Heparin Induced Platelet Abs (HIT) screen		FUNDED FUNDED	Tier 1 Tier 2		NO NO	NO

Page 14 of 28 Version : March 2020



Phone: +64 4 381 5900 Fax: +64 4 381 0700

https://www.wellingtonscl.co.nz

This list is not exhaustive. If a test is not listed here then it is <u>UNFUNDED</u>. All unfunded tests will be patient paid or charged back to the referrer/clinical service. Most unfunded tests will incur additional shipping costs. Refer to Wellington SCL's Pathology Test Guide for further information. List current as at 1 March 2020.

TEST NAME	ALTERNATIVE TEST NAME	FUNDED/UNFUNDED	Guideline	Comment	SHIPPING COSTS	MIDWIVES CAN REQUEST
Hepatitis A PCR		UNFUNDED			YES	NO NO
Hepatitis B core antibody		FUNDED	Tier 1		NO	NO
Hepatitis B core IgM		FUNDED	Tier 1		NO	NO
Hepatitis B e antibody		FUNDED	Tier 2	Notifiable. Acute Hepatitis B and C (including documented hep C seroconversion within 12 months) are notifiable diseases but carriage is currently not notifiable.	NO	NO
Hepatitis B e antigen		FUNDED	Tier 1		NO	YES
Hepatitis B Mutation analysis (YMDD)		FUNDED	Tier 2		NO	NO
Hepatitis B neutralisation		FUNDED	Tier 2		NO	NO
Hepatitis B surface antibody		FUNDED	Tier 1		NO	YES
Hepatitis B surface antigen		FUNDED	Tier 1		NO	YES
Hepatitis B viral load		FUNDED	Tier 2		NO	YES
Hepatitis C antibody		FUNDED	Tier 1		NO	YES
Hepatitis C confirmation (EIA)		FUNDED			NO	NO
Hepatitis C Genotype	See Hepatitis C InnoLipa	FUNDED	Tier 1		NO	NO
Hepatitis C InnoLipa	See Hepatitis C Genotype	FUNDED	Tier 1		NO	NO
Hepatitis C viral load		FUNDED	Tier 1		NO	NO
Hepatitis C NS5A Drug Resistance		UNFUNDED			YES	NO
Hepatitis D antibody		FUNDED	Tier 1		NO	NO
Hepatitis E antibody		FUNDED	Tier 1		NO	NO
Hepatitis E PCR		UNFUNDED			YES	NO
Hereditary Pancreatitis Mutation Analysis	SPINK1, PRSS1 (CFTR and exon 7 of CTRC may be included as part of pancreatitis investigations)	UNFUNDED		Referred to Wellington Regional Genetics. Sent to Canterbury Health Laboratories. Funding for test needs to be identified prior to sending.	YES	NO
Hereditary Sensory Motor Neuropathy (Charcot-Marie-tooth disease)	Charcot-Marie-Tooth Disease comprehensive panel (42 Genes)	UNFUNDED		Referred to Wellington Regional Genetics. Sent to Invitae USA. Funding for test needs to be identified prior to sending.	YES	NO
Charcot-Marie-Tooth Neuropathy type 1B	CMT1B, MPZ/Myelin P0	UNFUNDED		identified prior to sending. Referred to Wellington Regional Genetics. Sent to Labplus. Funding for test needs to be identified prior to sending.	YES	NO
Hexane, urine		FUNDED		SEE SOLVENTS	NO	NO
HFE Genotype	See Haemochromotosis, HFE Genotype	FUNDED	Tier 1		NO	NO
HHV Type 6 PCR (human herpes virus type 6)		FUNDED	Tier 2		NO	NO
HHV Type 6 serology	HHV 6 antibodies	FUNDED	Tier 2		NO	NO
HHV8 PCR		UNFUNDED			YES	NO
Histone antibodies (serum)	See ENA Blot	FUNDED	Tier 2		NO	NO
Histamine (Urine)		UNFUNDED			YES	NO
Histology -Frozen Section		FUNDED	Tier 2	Sites with special requirements; renal (routine IF, EM), bone (for metabolic disease), muscle (routine, enzyme histochemistry, EM), nerve (routine, special techniques, EM), other specify.	NO	NO
Histology- Temporal		FUNDED	Tier 2		NO	NO
artery/Hirschprungs (rectal) biopsy	C. FNA DI I	FUNDES	T: 0			•••
Histone Antibodies	See ENA Blot	FUNDED	Tier 2		NO	NO
Histoplasmosis	Histoplasma antibodies	UNFUNDED			YES	NO
HIT Antibody (Heparin Induced Thrombocytopenia)	See Heparin Induced Platelet Abs	FUNDED	Tier 2		NO	NO
HIV Ab		FUNDED	Tier 1		NO	YES
HIV Genotype / Resistance test	HIV Integrase Resistance	FUNDED	Tier 2	1107	NO	NO
HIV viral load		FUNDED	Tier 2	HIV carriage is not notifiable but clinical AIDS is notifiable anonymously to the Medical Officer of Health.	NO	NO
HLA - B27		FUNDED	Tier 1		NO	NO
HLA - DQ2/DQ8		FUNDED	Tier 1		NO	NO
HLAB-5701 (pre abacavir)		UNFUNDED			YES	NO
Homocysteine - plasma		FUNDED	Tier 2	Referred or pre-authorised by: Cardiologist, Paediatrician, Vascular Sugeon, Specialist lipid, metabolic or cardiovascular disease clinic, Haematologist, Opthalmologist, Neurologist OR prior approval of a chemical pathologist.	NO	NO

Page 15 of 28 Version : March 2020



Phone: +64 4 381 5900 Fax: +64 4 381 0700

https://www.wellingtonscl.co.nz

This list is not exhaustive. If a test is not listed here then it is <u>UNFUNDED</u>. All unfunded tests will be patient paid or charged back to the referrer/clinical service. Most unfunded tests will incur additional shipping costs. Refer to Wellington SCL's Pathology Test Guide for further information. List current as at 1 March 2020.

TEST NAME	ALTERNATIVE TEST NAME	FUNDED/UNFUNDED	Guideline	Comment	SHIPPING COSTS	MIDWIVES CAN REQUEST
HPC group (Hypertonic Cryohaemolysis) Hereditary spherocytosis	-	FUNDED			NO	NO
HPV (Human Papilloma Virus) DNA		FUNDED	Tier 1		NO	NO
genotyping	C Variable Zaster USV DCD					
HSV Type 182 corology	See Varicella Zoster, HSV PCR	FUNDED FUNDED	Tier 1 Tier 1		NO NO	YES NO
HSV Type 1&2 serology HSV IgG	See HSV Type 1&2 serology	FUNDED	Tier 1		NO	YES
HSV PCR, CSF	See Varicella Zoster, HSV PCR	FUNDED	Tier 1		NO	NO
HSV Sequencing	See various a coster, nov i ex	FUNDED	110. 2		NO	NO
HSV/VZV PCR	See Varicella Zoster PCR and HSV PCR	FUNDED	Tier 1		NO	NO
HTLV -1 and 2 (Human T cell Lymphocytic Virus)		FUNDED	Tier 2		NO	NO
HVA Homovanillic Acid (urine)	See Catecholamines	FUNDED			NO	NO
Hydatid serology screen		FUNDED	Tier 2		NO	NO
Hydroxyproline (urine)		FUNDED	Tier 2		NO	NO
IA2 antibodies		FUNDED	Tier 2		NO	NO
ICA (Ionised calcium)		FUNDED	Tier 1		NO	NO
IgA (Immunoglobulins-IgA, IgM, IgG)		FUNDED	Tier 1		NO	NO
IgD		FUNDED	Tier 1		NO	NO
IgE, total		FUNDED	Tier 1		NO	NO
IGF-1 (insulin like growth factor binding protein 1)		FUNDED	Tier 1		NO	NO
IGF-BP3 (IGBP-3) (insulin like growth factor binding protein 3)		FUNDED	Tier 2	Referred or pre-authorised by: Endocrinologist / Paediatric endocrinologist OR prior approval of a chemical pathologist.	NO	NO
IgG (immunoglobulins-IgA, IgM, IgG)		FUNDED	Tier 1		NO	NO
IgG Subclass Levels (IgG 1,2,3,4)		FUNDED	Tier 2		NO	NO
IL28B		FUNDED	Tier 2		NO	NO
Imipramine		FUNDED	Tier 1		NO	NO
Immunofixation (Immunoelectrophoresis)		FUNDED	Tier 1		NO	NO
Immunoglobulin A sen		FUNDED	Tier 1		NO	NO
Immunohistochemistry stain		FUNDED	Tier 2		NO	NO
Immunohistochemistry stain CHL		FUNDED	Tier 2		NO	NO
Immunohistochemistry stain CHL		FUNDED	Tier 2		NO	NO
Immunohistochemistry stain LP Indicans - urine		FUNDED FUNDED	Tier 2 Tier 2		NO NO	NO NO
Influenzae PCR	See Influenzae Type A PCR and Influenzae Type B PCR	FUNDED	Tier 2	Notifiable. During an epidemic GPs may order this test under agreed protocols. Non- seasonal influenza capable of transmission between humans is notifiable when advised by the Director of Public health at the Ministry of health. This will be in response to a novel transmissible strain with pandemic potential.	NO	NO
Influenzae -throat swab	Control of the Contro	FUNDED	Tier 2		NO	NO
Influenzae Type A (PCR)	See Influenzae Type B (PCR)and Influenzae PCR	FUNDED	Tier 2		NO	NO
Influenzae Type A&B serology		FUNDED	Tier 1		NO	NO
Influenzae Type B	See Influenzae PCR and Influenzae Type A PCR	FUNDED	Tier 2	Notifiable. During an epidemic GPs may order this test under agreed protocols. Non- seasonal influenza capable of transmission between humans is notifiable when advised by the Director of Public health at the Ministry of health. This will be in response to a novel transmissible strain with pandemic potential.	NO	NO
Inhibin B		FUNDED	Tier 2		NO	NO
Inhibitor Assay	See Factor VIII Inhibitor Assay	FUNDED	Tier 2		NO	NO
INR		FUNDED	Tier 1		NO	NO
Insulin (Free)		FUNDED FUNDED	Tier 2	Referred or pre-authorised by: Endocrinologist, Paediatrition, Hepatologist, GI Surgeon OR prior approval of a chemical pathologist. Post Bariatric Surgery- able to be	NO NO	NO NO
				ordered by other medical practitioners if this indication is stated on the form		

Page 16 of 28 Version : March 2020



Phone: +64 4 381 5900 Fax: +64 4 381 0700

https://www.wellingtonscl.co.nz

This list is not exhaustive. If a test is not listed here then it is <u>UNFUNDED</u>. All unfunded tests will be patient paid or charged back to the referrer/clinical service. Most unfunded tests will incur additional shipping costs. Refer to Wellington SCL's Pathology Test Guide for further information. List current as at 1 March 2020.

TEST NAME	ALTERNATIVE TEST NAME	FUNDED/UNFUNDED	Guideline	Comment	SHIPPING COSTS	MIDWIVES CAN REQUEST
Insulin antibody		FUNDED	Tier 2		NO	NO NO
Insulin tolerance test		FUNDED			NO	NO
Interferon gamma antibodies		UNFUNDED			YES	NO
Intrinsic coagulation clotting	See Factor V, VII, VIII, X, IX, XI,XII	FUNDED	Tier 2		NO	NO
factors/pathway	See Factor V, VIII, VIII, X, IX, XI,XII					
Intrinsic Factor Antibody		FUNDED	Tier 1	Defended as an extensional burn	NO	NO
lodine - urine		FUNDED	Tier 2	Referred or pre-authorised by: Endocrinologist, Internal Medicine Specialist, OR prior approval of a chemical pathologist.	NO	NO
IQ-RTQuIC (Creutzfeld Jacob Syndrome)		UNFUNDED			YES	NO
Iron / copper, liver (Histology)		FUNDED	Tier 2		NO	NO
Iron binding capacity (IBC)		FUNDED	Tier 1		NO	NO
Iron studies		FUNDED	Tier 1		NO	NO
Iron, serum		FUNDED	Tier 1		NO	NO
ISAC	Immuno-Solid Phase Allergen Chip Profile	FUNDED	Tier 2	Flexifunded - Clinical Immunologist/Allergist, Multidisplinary (MDM) only, otherwise a charge applies.	YES	NO
Islet cell autoantibody		FUNDED	Tier 2	Refer to IA2 and GAD antibodies	NO	NO
Isoniazid, plasma		UNFUNDED			YES	NO
Itraconazole (Sporanox)		UNFUNDED			YES	NO
JAK 2 Exon 12	DNA seq (1 temp)	FUNDED			NO	NO
JAK2 exon 12 Mutation Screen		FUNDED			NO	NO
Janus kinase 2 (JAK2) PCR	JAK2 Gene Mutation	FUNDED	Tier 2		NO	NO
, ,	V617F		1161 2			
JCV DNA PCR	JAMESTOWN CANYON VIRUS	FUNDED			NO	NO
Jo 1 antibodies	See anti extractable nuclear antigens	FUNDED	Tier 1		NO	NO
Karyotype - bone marrow	Refer Lupus anticoagulation screen Refer Chromosome testing	FUNDED	Tier 1	Paediatrician, Obstetrician, Endocrinologist, Haematologist, oncologist, Pathologist. Chromosome analysis from prenatal, postnatal and oncology samples- The appropriate clinical information for testing is	NO NO	NO NO
Kell antibodies		FUNDED	Tier 1	provided	NO	NO
Ketones - serum (Refer Urine Ketones)	ACETOACETATE ACETONE	FUNDED	Tier 2		NO	NO
Ketones - urine	ACETOACETATE ACETONE	FUNDED	Tier 1		NO	NO
Kleihauer	See Foetal cell count	FUNDED	Tier 1		NO	YES
KRAS		UNFUNDED			YES	NO
Lactate (blood gas)		FUNDED	Tier 2		NO	NO
Lactate / Pyruvate ratio, CSF		FUNDED	Tier 2		NO	NO
Lactate CSF		FUNDED	Tier 2		NO	NO
Lactate serum/Plasma / fluid		FUNDED	Tier 2		NO	NO
Lamictal / Lamotrigine		FUNDED	Tier 1		NO	NO
LDH serum / fluid		FUNDED	Tier 1		NO	YES
Lead - blood	Pb level	FUNDED	Tier 1		NO	NO
Lebers Hereditary Optic Neuropathy		FUNDED	Tier 1	Referred to Wellington Regional Genetics. Sent to CHL. Funding for test needs to be identified prior to sending.	NO YES	NO NO
Legionella culture		FUNDED	Tier 1		NO	NO
Legionella Abs Legionella antigen - urine		FUNDED	Tier 1	A four-fold or greater rise in titre	NO	NO
Legionella PCR		FUNDED FUNDED	Tier 2	between acute and convalescent specimens is Notifiable.	NO NO	NO NO
Leishmaniasis infantam antigen		FUNDED	2		NO	NO
LENZ pellet	See White Cell Pellet , White Cell Enzymes	FUNDED	Tier 2		NO	NO
Leptin, plasma	222 Trince Con Cinet, Write Con Enzymes	FUNDED	Tier 2		NO	NO
Leptospira Abs		FUNDED	Tier 1		NO	NO
Leptospira Abs		FUNDED	Tier 2		NO	NO
Leptospira PCR		FUNDED	Tier 2		NO	NO
Leptospiral titre		FUNDED	Tier 1		NO	NO
Levetiracetam		FUNDED	Tier 2		NO	NO
Lignocaine		FUNDED	Tier 1		NO	NO
Lipase		FUNDED	Tier 1		NO	NO
Lipid electrophoresis		FUNDED	Tier 2		NO	NO
Lipid Ultracentrifugation		FUNDED	Tier 2		NO	NO

Page 17 of 28 Version : March 2020



Phone: +64 4 381 5900 Fax: +64 4 381 0700

https://www.wellingtonscl.co.nz

This list is not exhaustive. If a test is not listed here then it is <u>UNFUNDED</u>. All unfunded tests will be patient paid or charged back to the referrer/clinical service. Most unfunded tests will incur additional shipping costs. Refer to Wellington SCL's Pathology Test Guide for further information. List current as at 1 March 2020.

TEST NAME	ALTERNATIVE TEST NAME	FUNDED/UNFUNDED	Guideline	Comment	SHIPPING COSTS	MIDWIVES CAN REQUEST
Lipids, serum / fluid		FUNDED	Tier 1		NO	NO
				Referred or pre-authorised by:		
				Cardiologist, Specialist lipid,		
Lipoprotein (a)		FUNDED	Tier 2	metabolic or cardiovascular disease	NO	NO
				clinic , OR prior approval of a		
Listeria		FUNDED	Tier 1	chemical pathologist.	NO	YES
Lithium		FUNDED	Tier 1		NO	NO
Liver Blot		FUNDED	ilei 1		NO	NO
Liver function tests		FUNDED	Tier 1		NO	NO
		FUNDED	Her 1		INU	NO
Liver/Kidney Microsomal antibodies		FUNDED	Tier 1		NO	NO
(LKM)		ELINES.				
LSD		FUNDED			NO	NO
Lupus antibodies	See Lupus Screen	FUNDED	Tier 1		NO	NO
Lupus screen group	See Lupus antibodies	FUNDED	Tier 1		NO	NO
Luteinising hormone (LH)		FUNDED	Tier 1		NO	NO
Lyme Disease Serology	Borrelia serology, tick disease	FUNDED			NO	NO
Lyme Disease Western Blot		UNFUNDED		Sent to NSW Health Pathology Westmead NSW Australia.	YES	NO
Lymphocyte culture		UNFUNDED		Westifiedu NSW Australia.	YES	NO
Lymphocyte function tests		FUNDED	Tier 2		NO	NO
Lymphocyte markers - CLL	Lymphoproliferative panel	FUNDED	Tier 2		NO	NO
Lymphocyte markers - subsets	CD3, CD4, CD8, CD16, CD19, CD56	FUNDED	Tier 1		NO	NO
Lymphocytic choriomeningitis virus		UNFUNDED			YES	NO
(LCMV)						
Lymphoid Amplicon Panel		UNFUNDED			YES	NO
Lyso-ceramide trihexoside (plasma)		UNFUNDED			YES	NO
Lyso-sphingomyelin 509		UNFUNDED			YES	NO
Lysozyme (Muramidase)		UNFUNDED			YES	NO
Macroprolactin	See Prolactin Free	FUNDED	Tier 1		NO	NO
Magnesium - serum		FUNDED	Tier 1		NO	NO
Magnesium - urine	FALCIPARUM	FUNDED	Tier 1		NO	NO
Malarial parasites	MALARIAL ANTIGENS (P. falciparum) OVALE PARASITES (blood) - Malarial PLASMODIUM THICK AND THIN FILMS FOR MALARIA	FUNDED	Tier 1		NO	NO
Mandelic Acid, urine (Styrene)	VIVAX	FUNDED	Tier 2		NO	NO
Manganese - blood		FUNDED	Tier 2		NO	NO
Manganese, Urine		UNFUNDED	TIEL Z		YES	NO
			Tion 1			
Mantoux test		FUNDED	Tier 1		NO	NO
Maprotiline		FUNDED	Tier 1		NO	NO
Mass Spectrophotometry Based		UNFUNDED			YES	NO
Proteomic Analysis - Amyloid						
Maternal Serum -MSS		FUNDED	Tier 1		NO	NO
Maturity-Onset Diabetes of the Young		UNFUNDED			YES	NO
Type 3		OH OHDED			. 20	
Measles Genotype		FUNDED			NO	NO
Measles IgG	See Morbilli IgG	FUNDED	Tier 1		NO	YES
Measles IgM	See Morbilli IgM	FUNDED	Tier 1		NO	YES
Measles virus PCR		FUNDED	Tier 1		NO	NO
Melanin / Melanogen		FUNDED	Tier 2		NO	NO
MEM Naïve T Cells		UNFUNDED			YES	NO
Memory B Cells		FUNDED	Tier 2	Flexifunded - Clinical Immunologists and Paediatricians only, otherwise a	NO	NO
Mandalian Cuarantibility . A 470		LINEUNDED		charge applies.	VEC	NO
Mendelian Susceptibility to MTB Mercury - blood		FUNDED	Tier 2	Sent to Invitae USA Reterred or pre-authorised by: Haematologist, Dermatologist, Oral Maxillofaciqal surgeon/Oral Medicine Specialist, Paediatrition, Gastroenterologist, GI Surgeon, Neurologist, Anesthetist/Intensive Care medicine specialist, Approved workplace monitoring scheme, OR prior approval of a chemical	YES NO	NO NO

Page 18 of 28 Version : March 2020



Phone: +64 4 381 5900 Fax: +64 4 381 0700

https://www.wellingtonscl.co.nz

This list is not exhaustive. If a test is not listed here then it is <u>UNFUNDED</u>. All unfunded tests will be patient paid or charged back to the referrer/clinical service. Most unfunded tests will incur additional shipping costs. Refer to Wellington SCL's Pathology Test Guide for further information. List current as at 1 March 2020.

TEST NAME	ALTERNATIVE TEST NAME	FUNDED/UNFUNDED	Guideline	Comment	SHIPPING COSTS	MIDWIVES CAN
Mercury - urine		FUNDED	Tier 2	Referred or pre-autnorised by: Haematologist, Dermatologist, Oral Maxillofaciqal surgeon/Oral Medicine Specialist, Paediatrition, Gastroenterologist, GI Surgeon, Neurologist, Anesthetist/Intensive Care medicine specialist, Approved workplace monitoring scheme, OR prior approval of a chemical	NO	NO NO
Metamphetamine , urine		FUNDED	Tier 1		NO	NO
Metanephrine- plasma		FUNDED	Tier 1		NO	NO
Metanephrines - urine		FUNDED	Tier 1		NO	NO
Methadone - plasma Methadone - urine		FUNDED FUNDED	Tier 1		NO NO	NO NO
Methaemalbumin (Schumms)		FUNDED	Tier 1 Tier 1		NO	NO
Methaemoglobin		FUNDED	Tier 1		NO	NO
Methanol		FUNDED	Tier 1		NO	NO
Methotrexate, plasma		FUNDED	Tier 1		NO	NO
Methyl Bromide (Work Health)		UNFUNDED			YES	NO
Methylethylketone		FUNDED	Tier 1		NO	NO
Methylhippuric (Work Health)		FUNDED		Refer Solvents and Toluene	NO	NO
Methylmalonic acid - plasma MMA		FUNDED	Tier 2		NO	NO
Methylmercaptopurine (MMP)		FUNDED	Tier 1		NO	NO
Methylphenidate		FUNDED	Tier 1		NO	NO
Mexiletine		FUNDED	Tier 1		NO VEC	NO NO
MGMT FFPET Extraction	DNA sag (1 tamp)	UNFUNDED UNFUNDED			YES YES	NO NO
MGMT Mutation Mianserin	DNA seq (1 temp)	FUNDED	Tier 1		NO	NO
Microalbumin	See Albumin Creatinine Ratio	FUNDED	Tier 1		NO	NO
Micropolysporia faeni (farmers lung)	See Albanini ereatinine natio	UNFUNDED	TICI I		YES	NO
Microsomal antibodies	See Thyroid Antibodies	FUNDED	Tier 1		NO	NO
Mitochrondrial DNA, mutation analysis		UNFUNDED			YES	NO
Mitotane levels		UNFUNDED			YES	NO
Moclobemide		FUNDED	Tier 1		NO	NO
Morbilli IgG	See Measles IgG	FUNDED	Tier 1		NO	NO
Morbilli IgG (Measles)		FUNDED	Tier 1		NO	NO
Morbilli IgM	See Measles IgM	FUNDED	Tier 1		NO	NO
Morphine - plasma		FUNDED	Tier 1		NO	NO
Morphine - urine		FUNDED	Tier 1		NO YES	NO
Mosquito borne virus Panel PCR MPL Mutation Analysis	DNA seq (1 temp)	UNFUNDED UNFUNDED			YES	NO NO
MRSA	Survived (2 certify)	FUNDED	Tier 1/2	Undertaken to fulfil the requirements of a hospital Infection Prevention and Control Policy, when required.	NO	YES
MTB result		FUNDED			NO	NO
MTHFR mutation analysis		UNFUNDED			YES	NO
Mucopolysaccharide EPP (electrophoresis)		FUNDED	Tier 2		NO	NO
Mucopolysaccharide total		FUNDED	Tier 2		NO	NO
Mumps IgG		FUNDED	Tier 1		NO	NO
Mumps IgM		FUNDED	Tier 1		NO	NO
Mumps PCR		FUNDED	Tier 2		NO NO	NO NO
Muscle biopsy histology MUXF3 IgE (CCD MUXF3 Bromelain)		FUNDED UNFUNDED	Tier 2		NO YES	NO NO
MxA Screen (Interferon-beta						
neutralising antibodies)		UNFUNDED			YES	NO
Mycophenolic Acid	Mycophenolate	UNFUNDED			YES	NO
Mycoplasma genitalium PCR	· ·	FUNDED	Tier 2		NO	NO
Mycoplasma pneumoniae Abs	See Atypical Pneumonia Serology	FUNDED	Tier 1		NO	NO
Mycoplasma pneumoniae PCR	See Atypical Pneumonia PCR, Respiratory Multiplex PCR	FUNDED	Tier 2		NO	NO
MYD88 Mutation Analysis		UNFUNDED			YES	NO
Myeloid Amplicon Panel		UNFUNDED			YES	NO
Myeloproliferative Neoplasm Diagnostic Amplicon Panel		UNFUNDED			YES	NO
Myoglobin - plasma		FUNDED	Tier 2		NO	NO
Myoglobin - urine		FUNDED	Tier 2		NO	NO
Myositis Abs, extended panel	HMGCoA Reductase Antibodies	FUNDED	Tier 2		NO	NO
N gonorrhoea culture		FUNDED	Tier 1		NO	YES
N gonorrhoea PCR		FUNDED	Tier 2		NO	NO

Page 19 of 28 Version : March 2020



Phone: +64 4 381 5900 Fax: +64 4 381 0700

https://www.wellingtonscl.co.nz

This list is not exhaustive. If a test is not listed here then it is <u>UNFUNDED</u>. All unfunded tests will be patient paid or charged back to the referrer/clinical service. Most unfunded tests will incur additional shipping costs. Refer to Wellington SCL's Pathology Test Guide for further information. List current as at 1 March 2020.

TEST NAME	ALTERNATIVE TEST NAME	FUNDED/UNFUNDED	Guideline	Comment	SHIPPING COSTS	MIDWIVES CAN REQUEST
N meningitidis CSF PCR		FUNDED	Tier 2		NO	NO
Natalizumab antibodies		UNFUNDED			YES	NO
Natural Killer Cell Assay		FUNDED	Tier 2		NO	NO
Neonatal group		FUNDED	Tier 2		NO	YES
Neuron Specific Enolase		FUNDED	Tier 2	Flexifunded - ICU Specialists only. NSE is available for request as part of a clinical trial, in conjunction with ICU and Neurology at Wellington Hospital. Only requests by intensive care specialists for post cardiac arrest patients with hypoxic ischaemic encephalopathy will be accepted. Appropriate clinical details should be provided.	NO	NO
Nerve tissue Electron Microscopy		FUNDED	Tier 2		YES	NO
Neutral Sterols		UNFUNDED			YES	NO
Neutrophil Oxidative Burst (NBT)		FUNDED	Tier 2	Sent to Peter MacCallum Cancer	NO	NO
Next Generation Sequencing AML	NGS	UNFUNDED		Centre Melbourne, VIC Australia	YES	NO
Nickel		FUNDED	Tier 2	,	NO	NO
NMDA Receptor antibodies (Nmethyl-D	-	FUNDED	Tior 2		NO	NO
aspartate)			Tier 2			
Norclozapine		UNFUNDED			YES	NO
Norepinephrine (Plasma	See Epinephrine	FUNDED	Tier 2		NO	NO
Catecholamines) Norovirus PCR (multiplex) Norwalk like virus		FUNDED	Tier 2	Outbreaks of acute gastroenteritis are notifiable. The most common cause is Norovirus. Norovirus testing is normally only indicated for outbreak investigations and requires an 'outbreak testing number' from the local Public health unit.	NO	NO
Nortriptyline		FUNDED	Tier 1		NO	NO
NPM1 MRD		UNFUNDED			YES	NO
NRAS		UNFUNDED			YES	NO
N-telopeptide (procollagen type 1 aminoterminal peptide)		FUNDED	Tier 1		NO	NO
Oestradiol / Oestrogen		FUNDED	Tier 1		NO	NO
Oestrone glucuronide excretion (E1)		FUNDED	Tier 2		NO	NO
Olanzapine		FUNDED	Tier 1		NO	NO
Oligosaccharides		UNFUNDED			YES	NO
Opiates - urine		FUNDED	Tier 1		NO	NO
Organic acids - urine		FUNDED	Tier 2		NO	NO
Osmolality - plasma Osmolality - urine / fluid		FUNDED FUNDED	Tier 1 Tier 1		NO NO	NO NO
Osteocalcin		FUNDED	Tier 2		NO	NO
Other c/s		FUNDED	Tier 1		NO	NO
Ovarian autoantibody		FUNDED	Tier 2		NO	NO
Oxalate, serum/plasma		UNFUNDED			YES	NO
Oxalate, urine		FUNDED			NO	NO
Oxycodone screen		Charge applies unless approved by a Specialist.	Tier 1	This is funded for medical testing purposes only. Any other setting requires pre-arrangement and will incur a charge to the patient or employer.	NO	NO
Oxygen affinity p50 (Oxygen Dissociation Curve)	1	FUNDED	Tier 2		NO	NO
P6C (Piperideine-6-carboxylate)	Alpha aminoadipic semialdehyde	UNFUNDED			YES	NO
Pancreatric Polypeptide		FUNDED	Tier 2		NO	NO
Paracetamol		FUNDED	Tier 1		NO	NO
Parainfluenzae PCR	See Respiratory Virus PCR	FUNDED	Tier 2		NO	NO
Parathyroid H related peptide	See PTHrP	FUNDED	Tier 2		NO	NO
Parathyroid hormone Parietal Cell Antibodies	See PTH	FUNDED FUNDED	Tier 1		NO NO	NO NO
Paroxetine		FUNDED	Tier 1 Tier 1		NO	NO
Parvovirus B19 IgG (slap cheek fever)		FUNDED	Tier 1		NO	NO
Parvovirus PCR	Parv. DNA IU/mL	FUNDED	Tier 2		NO	YES
Paul Bunnell (Monospot)		FUNDED	Tier 1		NO	NO
Pentobarbitone - serum		FUNDED	Tier 1		NO	NO
Perhexilene - plasma		FUNDED	Tier 1		NO	NO
Perl's stain		FUNDED	Tier 2		NO	NO

Page 20 of 28 Version : March 2020



Phone: +64 4 381 5900 Fax: +64 4 381 0700

https://www.wellingtonscl.co.nz

This list is not exhaustive. If a test is not listed here then it is <u>UNFUNDED</u>. All unfunded tests will be patient paid or charged back to the referrer/clinical service. Most unfunded tests will incur additional shipping costs. Refer to Wellington SCL's Pathology Test Guide for further information. List current as at 1 March 2020.

TEST NAME	ALTERNATIVE TEST NAME	FUNDED/UNFUNDED	Guideline	Comment	SHIPPING COSTS	MIDWIVES CAN REQUEST
Peroxidase (Immunoperoxidase)		FUNDED	Tier 2		NO	NO
PFA collagen adrenalin / epinephrine (Platelet Function Assay)		FUNDED	Tier 1		NO	NO
pH – fluid		FUNDED	Tier 1		NO	NO
Phencyclidine		FUNDED	Tier 1		NO	NO
Phenergan Screen	Promethazine	UNFUNDED			YES	NO
Phenobarbitone (Primidone)		FUNDED	Tier 1		NO	NO
Phenol (Urine)		UNFUNDED			YES	NO
Phenothiazines		FUNDED	Tier 1		NO	NO
Phenytoin		FUNDED	Tier 2		NO	NO
Phosphate - serum		FUNDED	Tier 1		NO	NO
Phosphate - urine / fluid		FUNDED	Tier 1		NO	NO
Phytanic acid		FUNDED	Tier 2		NO	NO
Pigments - urine (Transfusion Reaction)		FUNDED	Tier 1		NO	NO
PLAR 2 Antibodies		FUNDED		Flexifunded - Renal Physicians and Renal Registrars after consultation with Nephrologist, otherwise a charge applies.	YES	NO
Plasmalogen		UNFUNDED			YES	NO
Plasminogen		FUNDED			NO	NO
Platelet aggregation studies		FUNDED	Tier 2		NO	NO
PML/RAR Alpha (Retinoic acid receptors)-PCR		FUNDED	Tier 2		NO	NO
PM-Scl antibodies		FUNDED	Tier 2		NO	NO
pncA Gene		UNFUNDED			YES	NO
Pneumococcal ABS (pre+post)		FUNDED	Tier 2		NO	NO
Pneumococcal ABS (one off)		FUNDED	Tier 2		NO	NO
Pneumocystis special stain		FUNDED	Tier 2		NO	NO
Pneumonavax 23 antibodies		FUNDED	Tier 1		NO	NO
PNH Screen (Paroxsmal Nocturnal	See Hams Acid Serum Test	FUNDED	Tier 2		NO	NO
Haematuria) Porphobilinogen, urine		FUNDED			NO	NO
Porphyria genetic testing (PPOX, CPOX,		UNFUNDED			YES	NO
UROD, HMBS, FEDH) Porphyrin		FUNDED			NO	NO
Porphyrin - red cell		FUNDED	Tier 1		NO	NO
Porphyrin (HPLC) full analysis		FUNDED	Tier 1		NO	NO
Porphyrin-Fluorescence - plasma		FUNDED	Tier 2		NO	NO
Porphyrins - urine		FUNDED	Tier 1		NO	NO
Porphyrins screen - faeces		FUNDED	Tier 1		NO	NO
Posaconazole		UNFUNDED			YES	NO
Post Mortem - non-coronial		FUNDED			NO	NO
Potassium - serum	See Electrolytes	FUNDED	Tier 1		NO	YES
Potassium - urine		FUNDED	Tier 1		NO	NO
Prealbumin		FUNDED	Tier 2		NO	NO
Pregnandiol glucuronide excretion		FUNDED	Tier 2		NO	NO
Primary Immunodeficiency disorders	CTLA4	UNFUNDED			YES	NO
Procollagen Type 1 (P1NP)		FUNDED	Tier 1		NO	NO
Procollagen Type 3 (P3NP)		FUNDED	Tier 2		NO	NO
Progesterone		FUNDED	Tier 1		NO	NO
Progesterone - salivary	NOT AVAILABLE	FUNDED		This test is no longer available	NO	NO
Progesterone Receptors, breast		FUNDED			NO	NO
Prolactin		FUNDED	Tier 1		NO	NO
Prolactin, free	See Macroprolactin	FUNDED	Tier 1		NO	NO
Protein - CSF		FUNDED	Tier 2		NO	NO
Protein - Total-serum		FUNDED	Tier 1		NO	YES
Protein - urine /fluids		FUNDED	Tier 1		NO	YES
Protein - urine dipstix Protein C Chromogen		FUNDED FUNDED	Tier 1	Medical practitioners working in general practice may order a thrombophilia screen. If there is an index case in the family, individual genetic tests (e.g. Antithrombin, or	NO NO	NO NO
Frotein C Cinomogen		FOINDED	rier z	Protein C) are restricted to a haematologist or clinical geneticist as counselling may be required prior to testing other family members.	NO	NU

Page 21 of 28 Version : March 2020



Phone: +64 4 381 5900 Fax: +64 4 381 0700

https://www.wellingtonscl.co.nz

This list is not exhaustive. If a test is not listed here then it is <u>UNFUNDED</u>. All unfunded tests will be patient paid or charged back to the referrer/clinical service. Most unfunded tests will incur additional shipping costs. Refer to Wellington SCL's Pathology Test Guide for further information. List current as at 1 March 2020.

TEST NAME	ALTERNATIVE TEST NAME	FUNDED/UNFUNDED	Guideline	Comment	SHIPPING COSTS	MIDWIVES CAN REQUEST
Protein S Assay		FUNDED	Tier 2	Medical practitioners working in general practice may order a thrombophilia screen. If there is an index case in the family, individual genetic tests (e.g. Antithrombin, or Protein C) are restricted to a haematologist or clinical geneticist as counselling may be required prior to testing other family members.	NO	NO
Protein S free		FUNDED	Tier 2	Medical practitioners working in general practice may order a thrombophilia screen. If there is an index case in the family, individual genetic tests (e.g. Antithrombin, or Protein C) are restricted to a haematologist or clinical geneticist as counselling may be required prior to testing other family members.	NO	NO
Prothiadine	Dothipin	FUNDED	Tier 1		NO	NO
Prothrombin G2210A gene mutation		FUNDED	Tier 2	Medical practitioners working in general practice may order a thrombophilia screen. If there is an index case in the family, individual genetic tests (e.g. Antithrombin, or Protein C) are restricted to a haematologist or clinical geneticist as counselling may be required prior to testing other family members.	NO	NO
PSA		FUNDED	Tier 1		NO	NO
PSA free		FUNDED	Tier 1		NO	NO
PTH	See Parathyroid Hormone	FUNDED	Tier 1		NO	NO
PTHrP	See Parathyroid H Related Peptide	FUNDED	Tier 2		NO	NO
Purine/Pyrimidine		UNFUNDED	Ti 2		YES	NO
Pyruvate		FUNDED	Tier 2		NO	NO
Pyruvate CSF		FUNDED	Tier 2 Tier 2		NO NO	NO NO
Pyruvate kinase Quantiferon Tb-Gold		FUNDED FUNDED	Tier 1		NO	NO
Quinalbarbitone		FUNDED	Tier 1		NO	NO
Quinidine	See Quinine	FUNDED	Tier 1		NO	NO
Quinine	See Quinidine	FUNDED	Tier 1		NO	NO
RAST	See Specific IgE	FUNDED	Tier 1		NO	NO
Recipient Group Confirm (ABO History)		FUNDED	Tier 1	NZBS	NO	NO
Red cell antibodies	See Antibody screen, Antibody Screen/Titre, Antibody Titre, Rhesus Antibody	FUNDED	Tier 1		NO	YES
Red Cell Magnesium (patient paid only)		UNFUNDED			YES	NO
Red cell morphology		FUNDED	Tier 1		NO	NO
Renin, Plasma (Angiotension 1)		FUNDED	Tier 1		NO NO	NO
Reptilase time Resp Virus Antigen		FUNDED FUNDED	Tier 2 Tier 2		NO NO	NO NO
Respiratory multiplex RT -PCR		FUNDED	Tier 2		NO	NO
Respiratory virus PCR	See Respiratory multiplex RT -PCR	FUNDED	Tier 2		NO	NO
Reticulin Antibodies		FUNDED	Tier 2		NO	NO
Reticulocyte count		FUNDED	Tier 1		NO	NO
Retinal Antigen Panel		UNFUNDED			YES	NO
Retinol Antibodies		UNFUNDED		Sent to Occular Immunology Laboratory, Oregon Health & Science University. Portland Oregon USA. Must use Occular Immunology Request form.	YES	NO
Retinol Binding Protein (Plasma/Urine) Research Only		UNFUNDED			YES	NO
Rh phenotype or genotype		FUNDED	Tier 1		NO	YES
Rhesus antibody	See Antibody screen, Antibody Screen/Titre, Antibody Titre, Red cell antibodies	FUNDED	Tier 1		NO	YES
Rheumatoid Factor RhF	See Rose Waaler	FUNDED	Tier 1		NO	NO NO
Ribonuclear Protein		FUNDED	Tier 1 Tier 2		NO NO	NO NO
Rickettsia serology Ristocetin cofactor		FUNDED FUNDED	Tier 2		NO NO	NO NO
Rivaroxaban	Anti Xa Rivaroxaban	UNFUNDED	i iei 1		YES	NO
Ro / La antibodies	Ad HivaroAddall	FUNDED	Tier 1		NO	NO
Rose Waaler	See Rheumatoid Factor RhF	FUNDED	Tier 1		NO	NO
nose waarer	Seecumatoia ractor itili	TONDED	TICI I		140	140

Page 22 of 28 Version : March 2020



Phone: +64 4 381 5900 Fax: +64 4 381 0700

https://www.wellingtonscl.co.nz

This list is not exhaustive. If a test is not listed here then it is <u>UNFUNDED</u>. All unfunded tests will be patient paid or charged back to the referrer/clinical service. Most unfunded tests will incur additional shipping costs. Refer to Wellington SCL's Pathology Test Guide for further information. List current as at 1 March 2020.

TEST NAME	ALTERNATIVE TEST NAME	FUNDED/UNFUNDED	Guideline	Comment	SHIPPING COSTS	MIDWIVES CAN REQUEST
Ross river fever	See Arbovirus virus	FUNDED	Tier 1	Notifiable. Consult the local microbiologist to discuss appropriate testing and interpretation of results. The Communicable Disease Control Manual (2012) states closely related arboviruses can be clinically indistinguishable and exhibit serologic cross-reactivity. Therefore, positive results of serologic tests should be investigated further by cross-neutralisation methods using a battery of viruses relevant to the region where the case was exposed.	NO	NO
Rotavirus		FUNDED	Tier 1		NO	NO
rpoB Gene		UNFUNDED			YES	NO
Rubella IgM - Current infection		FUNDED	Tier 1		NO	YES
Rubella Serology (German)		FUNDED	Tier 1		NO	YES
Saccharomyces cerevisia Abs (ASCA)		FUNDED	Tier 2		NO	NO
Salicylate acid		FUNDED	Tier 1		NO	NO
Salivary gland autoantibodies		FUNDED	Tier 2		NO	NO
SARS Coronavirus RNA		FUNDED	Tier 2		NO	NO
Scabies		FUNDED	Tier 1		NO	NO
Schistosomes - Abs	See Bilharzia - blood	FUNDED	Tier 1		NO	NO
Schistosomes - faeces	See Bilharzia - urine/faeces	FUNDED	Tier 1		NO	NO
SCID Flow Panel	Severe Combined Immunodeficiency	UNFUNDED			YES	NO
Scleroderma Abs		FUNDED	Tier 2	kererred or pre-authorised by.	NO	NO
Selenium - plasma		FUNDED	Tier 2	Haematologist, Dermatologist, Oral Maxillofaciqal surgeon/Oral Medicine Specialist, Paediatrition, Gastroenterologist, Gl Surgeon, Neurologist, Anesthetist/Intensive Care medicine specialist, Approved workplace monitoring scheme, OR prior approval of a chemical pathologist. Post Bariatric Surgeryable to be ordered by other medical practitioners if this indication is	NO	NO
Selenium - urine		FUNDED	Tier 2	Haematologist, Dermatologist, Oral Maxillofaciqal surgeon/Oral Medicine Specialist, Paediatrition, Gastroenterologist, Gl Surgeon, Neurologist, Anesthetist/Intensive Care medicine specialist, Approved workplace monitoring scheme, OR prior approval of a chemical pathologist. Post Bariatric Surgeryable to be ordered by other medical practitioners if this indication is	NO	NO
Seminal fluid - fertility		FUNDED	Tier 1		NO	NO
Seminal fluid - post vasectomy		FUNDED	Tier 1		NO	NO
Serotonin Rel (Serotonin Release assay)	FUNDED		Sent by World Courier to Prince of	YES	NO
Serotonin, whole blood	,	FUNDED	Tier 2	Wales Hospital NSW. Referred or pre-authorised by: Endocrinologist, Oncologist, Dermatologist, General Surgeon, GI Surgeon, OR prior approval of a chemical pathologist.	NO	NO
Serum Fluoride		UNFUNDED		S. C.	YES	NO
Sex hormone binding globulin (SHBG)		FUNDED	Tier 2		NO	NO
Sickle cell		FUNDED	Tier 1		NO	NO
Silver, serum		FUNDED	Tier 2		NO	NO
Sirolimus		FUNDED	Tier 1		NO	NO
		FUNDED	Tier 1		NO	NO
Sjorgens Syndrome						
		FUNDED	Tier 1		NO	NO
Sjorgens Syndrome			Tier 1 Tier 2		NO NO	NO
Sjorgens Syndrome Skin allergen test	See Smooth Muscle Antibodies	FUNDED				
Sjorgens Syndrome Skin allergen test Skin autoantibody (Pemphigus)	See Smooth Muscle Antibodies See Sm Antibodies	FUNDED FUNDED	Tier 2		NO	NO
Sjorgens Syndrome Skin allergen test Skin autoantibody (Pemphigus) Sm Antibodies		FUNDED FUNDED FUNDED	Tier 2 Tier 1		NO NO	NO NO
Sjorgens Syndrome Skin allergen test Skin autoantibody (Pemphigus) Sm Antibodies Smooth Muscle Autoantibody (SMA)		FUNDED FUNDED FUNDED FUNDED	Tier 2 Tier 1 Tier 1		NO NO NO	NO NO NO

Page 23 of 28 Version : March 2020



Phone: +64 4 381 5900 Fax: +64 4 381 0700

https://www.wellingtonscl.co.nz

This list is not exhaustive. If a test is not listed here then it is <u>UNFUNDED</u>. All unfunded tests will be patient paid or charged back to the referrer/clinical service. Most unfunded tests will incur additional shipping costs. Refer to Wellington SCL's Pathology Test Guide for further information. List current as at 1 March 2020.

TEST NAME	ALTERNATIVE TEST NAME	FUNDED/UNFUNDED	Guideline	Comment	SHIPPING COSTS	MIDWIVES CAN
Solvents		FUNDED	Tier 1		NO	REQUEST NO
Specific gravity, urine (Dipstick reading)		FUNDED	Tier 1		NO	NO
Specific IgE	See RAST	FUNDED	Tier 1		NO	NO
Sputum c/s (not TB)		FUNDED	Tier 1		NO	NO
Steatocrit, faeces		FUNDED	Tier 1		NO	NO
Sterility Testing		FUNDED	Tier 1		NO	NO
Streptococcal Ab	See Streptonase B, Strep B antibodies, ASOT, Anti Streptolyosin B, DNAse B	FUNDED	Tier 1		NO	NO
Streptococcus Pneumoniae Ag		FUNDED	Tier 2		NO	NO
Streptonase B	See Strep B antibodies Streptonase B, ASOT, Anti Streptolyosin B, DNAse B	FUNDED	Tier 1		NO	NO
Strongyloides serology	, , , , , , , , , , , , , , , , , , , ,	FUNDED	Tier 2		NO	NO
Sulphasalazine, plasma		UNFUNDED			YES	NO
Sulphonylurea		FUNDED	Tier 1		NO	NO
Swab - ear		FUNDED	Tier 1		NO	YES
Swab - eye		FUNDED	Tier 1		NO	YES
Swab - general		FUNDED	Tier 1		NO	YES
Swab - genital		FUNDED	Tier 1		NO	YES YES
Swab - nasal Swab - rectal		FUNDED FUNDED	Tier 1 Tier 1		NO NO	YES
		FUNDED	Tier 1		NO	YES
Swab - skin, wound, pus Swab - throat		FUNDED	Tier 1		NO	YES
Sweat test		FUNDED	Tier 2		NO	NO
Switched Memory B Cells		FUNDED	TICL 2	Flexifunded - Clinical Immunologists and Paediatricians only, otherwise a charge applies.	NO	NO
Synacthen test (Cortisol synacthen stimulation)	Serum Cortisol	FUNDED	Tier 1		NO	NO
Syphilis - TPPA (confirmatory)		FUNDED	Tier 1		NO	NO
Syphilis - VDRL		FUNDED	Tier 1		NO	YES
Syphilis PCR (Treponema pallidum)		UNFUNDED			YES	NO
Syphilis serology serum CSF		FUNDED	Tier 1		NO	NO
T3 Total		FUNDED	Tier 2		NO	NO
T3 Free		FUNDED	Tier 1		NO	NO
T4 free		FUNDED	Tier 1		NO	YES
T4 Total		FUNDED	Tier 2		NO	NO
Tacrolimus		FUNDED	Tier 1		NO	NO
Tau Transferrin	See B2 Transferrin	FUNDED	Tier 2		NO	NO
TB Amplicor PCR		FUNDED	Tier 2		NO	NO
TB Culture TB sensitivities		FUNDED FUNDED	Tier 2		NO	NO NO
		FUNDED	Tier 1		NO NO	NO
TB Sequence assay TB Zn stain		FUNDED	Tier 1		NO	NO
T-cell stimulation (Specialised			TICI I			
Immunology) Proliferation	(77.0)	UNFUNDED			YES	NO
TCR gene rearrangement (T cell gene rearrangement)	T-Cell receptor gamma (TRG) gene rearrangement PCR, Gene rearrangement DNA test (2 probes).	FUNDED	Tier 2		NO	NO
Temgesic (Buprenorphine)		FUNDED	Tier 1		NO	NO
Testosterone, female		FUNDED	Tier 1		NO	NO
Testosterone, plasma		FUNDED	Tier 1		NO	NO
Tetanus ab - Pre & Post vaccin.	See Tetanus antibody levels	FUNDED	Tier 2		NO	NO
Tetanus antibody levels	See Tetanus ab - Pre & Post vaccin	FUNDED	Tier 2		NO	NO
Tetrasaccharide		UNFUNDED			YES	NO
Thalassaemia grp	See Haemoglobinopathy Studies	FUNDED	Tier 1		NO	NO
Thallium (Urine)		UNFUNDED	Tion 1		YES	NO
Theophylline (Nuelin)		FUNDED	Tier 1		NO	NO
Thiopentone		FUNDED UNFUNDED	Tier 1		NO YES	NO NO
Thiopentone Thiopurine methyl transferase (TPMT)		FUNDED	Tier 2		NO	NO
Thiopurine methyl transferase (TPMT)						
genotype		FUNDED	Tier 2		NO	NO
Thrombin time		FUNDED	Tier 1		NO	NO

Page 24 of 28 Version : March 2020



Phone: +64 4 381 5900 Fax: +64 4 381 0700

https://www.wellingtonscl.co.nz

This list is not exhaustive. If a test is not listed here then it is <u>UNFUNDED</u>. All unfunded tests will be patient paid or charged back to the referrer/clinical service. Most unfunded tests will incur additional shipping costs. Refer to Wellington SCL's Pathology Test Guide for further information. List current as at 1 March 2020.

TEST NAME	ALTERNATIVE TEST NAME	FUNDED/UNFUNDED	Guideline	Comment	SHIPPING COSTS	MIDWIVES CAN REQUEST
Thrombophilia screen		FUNDED	Tier 1	Medical practitioners working in general practice may order a thrombophilia screen. If there is an index case in the family, individual genetic tests (e.g. Antithrombin, or Protein C) are restricted to a haematologist or clinical geneticist as counselling may be required prior to testing other family members.	NO	NO
Thyroglobulin		FUNDED	Tier 1		NO	NO
Thyroglobulin antibodies	See Anti Thyroglobulin (Anti TG)	FUNDED	Tier 1		NO	NO
Thyroid Antibodies	See Thyroid Peroxidase Abs, TPA	FUNDED	Tier 2		NO	NO
Thyroid Peroxidase abs (TPA)	See Thyroid Antibodies	FUNDED	Tier 1		NO	NO
Thyroid Stimulating Immunoglobulin (TSH Receptor, Thyroid Stimulating Antibodies)		FUNDED	Tier 1		NO	NO
Tissue Autoantibodies		FUNDED	Tier 1		NO	NO
Tissue culture		FUNDED	Tier 1		NO	YES
TNF drug antibodies - Anti Adalimumab		FUNDED		Flexifunded	NO	NO
TNF drug antibodies - Anti Infliximab		FUNDED		Flexifunded	NO	NO
TNF drug levels - Adalimumab		FUNDED		Flexifunded	NO	NO
TNF drug levels - Infliximab		FUNDED		Flexifunded	NO	NO
Tobramycin		FUNDED	Tier 1		NO	NO
Toluene	Hippuric acid	FUNDED	Tier 1		NO	NO
Topiramate		FUNDED			NO	NO
Toxocara Abs		FUNDED	Tier 2		NO	NO
Toxoplasma IgG		FUNDED	Tier 1		NO	YES
Toxoplasma IgM		FUNDED	Tier 1		NO	YES
Toxoplasma PCR	Eye Panel PCR	FUNDED	Tier 2		NO	NO
Transferrin - serum		FUNDED	Tier 1		NO	NO
Transferrin Isoforms	See Carbohydrate Deficient Transferrin,Carbohydrate DEF, inborn error metabolism	FUNDED	Tier 2		NO	NO
Transferrin receptor (Soluble)		FUNDED	Tier 1		NO	NO
TRAPS (periodic fever)	TNF receptor associated periodic syndrome	UNFUNDED			YES	NO
Triampterene		FUNDED	Tier 2		NO	NO
Trichomonas microscopy		FUNDED	Tier 1		NO	YES
Triglycerides - serum / fluid	See Chylomicrons for fluids	FUNDED	Tier 1		NO	NO
Trimethylamine Trimipramine	Trimethylamine oxide ratio SURMONTIL	UNFUNDED FUNDED	Tier 1 Tier 1		YES NO	NO NO
· ·	TRIPRESS					
Troponin I	TNI	FUNDED	Tier 1		NO	NO
Troponin I card		FUNDED	Tier 1		NO	NO
Troponin T – qualitative		FUNDED	Tier 1		NO	NO
Troponin T hs	hs TNT	FUNDED	Tier 1		NO	NO
Trypanosomiasis	CHAGA SLEEPING SICKNESS	UNFUNDED	T: 0		YES	NO
Trypsin, faecal		FUNDED	Tier 2		NO	NO
Tryptase Tryptophan, whole blood (Tubular		FUNDED	Tier 1		NO	NO
reabsorbance of Phosphate)		FUNDED	Tier 2		NO	NO
TSH (Thyroid Stimulating Hormone)	ANTI RETICULIN ANTIBODIES	FUNDED	Tier 1		NO	YES
TTG antibodies (Tissue Transglutaminase IgA)	COELIAC ANTIBODIES	FUNDED	Tier 1		NO	NO
UL54 GENOTYPE (CMV Resistance)	UL54 UL97	UNFUNDED			YES	NO
UL97 GENOTYPE (CMV Resistance)	UL54 UL97	UNFUNDED			YES	NO
Units of RBC	DI GOD LIDEA NITROCE:	FUNDED	Tier 1		NO	NO
Urea - serum	BLOOD UREA NITROGEN BUN	FUNDED	Tier 1		NO	NO
Urea - urine / fluid	ASPIRATE UREA FLUID UREA UREA (ASPIRATE)	FUNDED	Tier 1		NO	NO
Urea / Myco plasma Detection	MYCOPLASMA (UREAPLASMA) UREAPLASMA UREALYTICUM	FUNDED	Tier 2		NO	NO
Uric acid - serum	URATE	FUNDED	Tier 1		NO	YES
Uric acid - urine	URATE	FUNDED	Tier 1		NO	NO

Page 25 of 28 Version : March 2020



Phone: +64 4 381 5900 Fax: +64 4 381 0700

https://www.wellingtonscl.co.nz

This list is not exhaustive. If a test is not listed here then it is <u>UNFUNDED</u>. All unfunded tests will be patient paid or charged back to the referrer/clinical service. Most unfunded tests will incur additional shipping costs. Refer to Wellington SCL's Pathology Test Guide for further information. List current as at 1 March 2020.

TEST NAME	ALTERNATIVE TEST NAME	FUNDED/UNFUNDED	Guideline	Comment	SHIPPING COSTS	MIDWIVES CAN REQUEST
Urine culture	BILHAKZIA (UTINE) KETO ACIDS M+C+S MIDSTREAM URINE (MSU) MSU PROTEIN SCREEN (Urine) ROUTINE URINE SPECIFIC GRAVITY (Urine) URINARY SEDIMENT	FUNDED	Tier 1		NO	YES
Urine Metabolic Profile (Mass Spectrophotometry)	LIBINE CHITURE	FUNDED			YES	NO
Urine Oligosaccharride		UNFUNDED			YES	NO
Urine pentachlorophenol (phenol)		UNFUNDED			YES	NO
Urine Purine/Pyrimidine		UNFUNDED			YES	NO
Urine red cell morphology	See Dysmorphic red blood cells	FUNDED	Tier 1		NO	NO
Urine Steroid Profile		UNFUNDED			YES	NO
Urine Sulphatide		UNFUNDED			YES	NO
Urine trimethylamine		UNFUNDED			YES	NO
Valproate / Valproic Acid	EPILIM VALPROIC ACID	FUNDED	Tier 1		NO	NO
Vancomycin		FUNDED	Tier 1		NO	NO
Vancomycin Resistant Enterococci Varicella zoster IgG (chicken pox, shingles)	SEE FAECAL CULTURE CHICKEN POX ANTIBODIES HERPES ZOSTER SEROLOGY SHINGLES VZ	FUNDED	Tier 2		NO NO	NO YES
Varicella zoster IgM	ZOSTER ANTIBODIES	FUNDED	Tier 1		NO	YES
Varicella zoster PCR (swab)	See HSV/VZV PCR	FUNDED	Tier 2		NO	NO
Vasoactive intestinal polypeptide	VIP	FUNDED	Tier 2		NO	NO
Venesection therapeutic in Wairarapa		FUNDED	2		NO	NO
Ventana Platform D5F3 antibody		UNFUNDED			YES	NO
Viral culture - faeces	See PCR culture no longer performed	FUNDED	Tier 2		NO	NO
Viral culture - other	See PCR culture no longer performed	FUNDED	Tier 2		NO	NO
Viscocity, plasma	VISCOSITY	FUNDED	Tier 1		NO	NO
Vitamin A & E	VISCOSITY PLASMA RETINOL	FUNDED	Tier 1		NO	NO
Vitamin B1 (Thiamine)	B1 (THIAMINE) THIAMINE (Vitamin B1)	FUNDED	Tier 2		NO	NO
Vitamin B12	TRANSKETOLASE	FUNDED	Tier 1		NO	YES
Vitamin B2	B2	UNFUNDED	1		YES	NO
Vitamin B6 (Pyroxidine)	RIBOFLAVIN B6 PLP PYRIDOXAL 5 PHOSPHATE PYRIDOXINE	FUNDED	Tier 2	Referred or pre-authorised by: Paediatrition, Neurologist, Bariatric Surgeon, Gastroenterologist OR prior approval of a chemical pathologist.	NO	NO
Vitamin C	ASCORBATE ASCORBIC ACID	UNFUNDED			YES	NO
Vitamin D 25 OH	25 DIHYDROXY CHOLECALCIFEROL 25 HYDROXY VITAMIN D 25 HYDROXYCHOLECALCIFEROL 25(OH)D 25OHCC CALCIFEROL CHOLECALCIFEROL D3 HYDROXYCHOLECALCIFEROL VIT D	FUNDED	Tier 1/2	A medical practitioner working in general practice may refer for the indications noted in referral criteria (The request form must clearly indicate a high risk of vitamin D/calcium abnormalities for investigation e.g. 1.rickets or osteomalacia, known osteoporosis, abnormalities of calcium/phosphate metabolism, raised ALP with likely bone cause, 2. cystic fibrosis, special diets (e.g. PKU), renal transplant, anticonvulsant use, 3. also, children (16 years and under), refugees, and prior to treatment with bisphosphonates for osteoporosis or interferon for hepatitis C.). Otherwise this test is referred or preauthorised by: Endocrinologist, Hepatologist, Rheumatologist, Gastroenterologist, GI Surgeon, Nephrologist OR prior approval of a chemical pathologist.	NO	NO

Page 26 of 28 Version : March 2020



Phone: +64 4 381 5900 Fax: +64 4 381 0700

https://www.wellingtonscl.co.nz

This list is not exhaustive. If a test is not listed here then it is <u>UNFUNDED</u>. All unfunded tests will be patient paid or charged back to the referrer/clinical service. Most unfunded tests will incur additional shipping costs. Refer to Wellington SCL's Pathology Test Guide for further information. List current as at 1 March 2020.

TEST NAME	ALTERNATIVE TEST NAME	FUNDED/UNFUNDED	Guideline	Comment	SHIPPING COSTS	MIDWIVES CAN REQUEST
Vitamin K		FUNDED	Tier 2	Referred or pre-authorised by: Paediatrition, Neurologist, Bariatric Surgeon, Gastroenterologist OR prior approval of a chemical pathologist.	NO	NO
VLCFA (very long chain fatty acids)		FUNDED	Tier 2		NO	NO
VMA	See Catecholamines	FUNDED	Tier 2		NO	NO
Voltage dependent calcium channel		FUNDED	Tier 2		NO	NO
Voltage Gated Potassium channel abs		UNFUNDED			YES	NO
Von Willebrand (Panel)	See VWF Multimer	FUNDED	Tier 2		NO	NO
Von Willebrand antigen	See VWF Multimer	FUNDED	Tier 1		NO	NO
Voriconazole VWF Multimer (Von Willebrand)	COLLAGEN BINDING ASSAY (CBA) FACTOR VIII RELATED ANTIGEN RISTOCETIN CO-FACTOR VIII AB VON WILLEBRAND ANTIGEN VON WILLEBRANDS SCREEN VW SCREEN	FUNDED	Tier 2	Flexifunded	NO NO	NO NO
Marfaria lavala	VWFRAø	UNIFUNDED			VEC	NO
Warfarin levels WBC HHV8 copies	HHV8 PCR	UNFUNDED UNFUNDED			YES YES	NO NO
West Nile virus	See Arbovirus	FUNDED	Tier 2	Notifiable. Consult the local microbiologist to discuss appropriate testing and interpretation of results. The Communicable Disease Control Manual (2012) states closely related arboviruses can be clinically indistinguishable and exhibit serologic cross-reactivity. Therefore, positive results of serologic tests should be investigated further by cross-neutralisation methods using a battery of viruses relevant to the region where the case was exposed.	NO	NO
White cell enzymes	See White Cell Pellet, LENZ pellet	FUNDED	Tier 2		NO	NO
White cell pellet	See White Cell Enzymes, LENZ pellet	FUNDED	Tier 2		NO	NO
Williams Syndrome	See FISH - Haem/Oncology	FUNDED	Tier 2	Referred or pre-authorised by: Endocrinologist, Paediatrition, Obstetrician, Haematologist ,Oncologist, Pathologist. Interphase / metaphase analysis from prenatal, postnatal and oncology referrals using fluorescently labelled DNA probes The appropriate clinical information for testing is provided For postnatal referrals only, if there is strong clinical suspicion of a chromosome abnormality the referrer may order a microarray instead (following the process above).	NO	NO
Wood Lamp		FUNDED	Tier 1		NO	NO
Xanthochromia - CSF		FUNDED	Tier 2		NO	NO
Y chromosome microdeletion PCR		UNFUNDED			YES	NO
Yeast identity		FUNDED	Tier 1		NO	NO
Yellow fever serology		UNFUNDED			YES	NO
Yersinia serology Yersinia serology-outbreaks		UNFUNDED FUNDED	Tier 2		YES NO	NO NO
Zinc - plasma		Charge applies unless approved by a Specialist.	Tier 2	Haematologist, Dermatologist, Oral Maxillofaciqal surgeon/Oral Medicine Specialist, Paediatrition, Gastroenterologist, Gl Surgeon, Neurologist, Anesthetist/Intensive Care medicine specialist, Approved workplace monitoring scheme, OR prior approval of a chemical pathologist. Post Bariatric Surgeryable to be ordered by other medical practitioners if this indication is	NO	NO
Zinc Protoporphyrin		FUNDED	Tier 2	stated on the form	NO	NO
			_			

Page 27 of 28 Version : March 2020



Phone: +64 4 381 5900 Fax: +64 4 381 0700

https://www.wellingtonscl.co.nz

This list is not exhaustive. If a test is not listed here then it is <u>UNFUNDED</u>. All unfunded tests will be patient paid or charged back to the referrer/clinical service. Most unfunded tests will incur additional shipping costs. Refer to Wellington SCL's Pathology Test Guide for further information. List current as at 1 March 2020.

TEST NAME	ALTERNATIVE TEST NAME	FUNDED/UNFUNDED	Guideline	Comment	SHIPPING COSTS	MIDWIVES CAN REQUEST
Zinc, urine		UNFUNDED	Tier 2	Haematologist, Dermatologist, Oral Maxillofaciqal surgeon/Oral Medicine Specialist, Paediatrition, Gastroenterologist, GI Surgeon, Neurologist, Anesthetist/Intensive Care medicine specialist, Approved workplace monitoring scheme, OR prior approval of a chemical pathologist. Post Bariatric Surgeryable to be ordered by other medical practitioners if this indication is	YES	NO
Zopiclone (urine)	IMOVANE	UNFUNDED			YES	NO

Page 28 of 28 Version : March 2020